

- Anderson, R 2001, 'Ptunarra Brown Butterfly Project', *Invertebrata*, vol. 19, no. , p. 5.
- Anderson, R & McQuillan, PB 2003, 'Flight activity and territoriality in a threatened butterfly *Oreixenica ptunarra Couchman* (Lepidoptera: Nymphalidae: Satyrinae)', *Records of the South Australian Museum Monograph Series* vol. 7, pp. 297-301.
- Ashworth, JM 1998, 'An Appraisal of the Conservation Status of *Litoria raniformis* (Kefferstein) in Tasmania', Masters thesis, University of Tasmania.
- Atkins, A 1984, 'A new genus Antipodia (Lepidoptera: HesperIIDae: Trapezitinae) with comments on its biology', *Australian Entomological Magazine*, vol. 10, no. 6, p. 84.
- Backhouse, G, Jackson, J & O'Connor, J 2008, *Background and Implementation Information for the Australian Grayling *Prototroctes maraena* National Recovery Plan*, Department of Sustainability and Environment, Melbourne.
- 2008, *National Recovery Plan for the Australian Grayling *Prototroctes maraena**, Department of Sustainability and Environment, Melbourne.
- Barker, P 1999, *Recovery Plan for Tasmanian Native Grasslands 2000-2002*, Department of Primary Industries, Water and Environment, Hobart.
- Barker, S 1979, 'New species and a catalogue of *Stigmodera* (Castiarina) (Coleoptera: Buprestidae)', *Transactions of the Royal Society of South Australia*, vol. 103, pp. 1-23.
- 1986, '*Stigmodera* (Castiarina) (Coleoptera: Buprestidae): taxonomy, new species and a checklist', *Transactions of the Royal Society of South Australia*, vol. 110, pp. 1-36.
- 1988, 'Contributions to the taxonomy of *Stigmodera* (Castiarina) (Coleoptera: Buprestidae)', *Transactions of the Royal Society of South Australia*, vol. 112, pp. 133-42.
- Barmuta, L 2008, *Management Issues Relevant for Biodiversity Conservation in Freshwater Ecosystems, Background Document 6. Report to the Biodiversity Expert Review Panel*, Forest Practices Authority, Hobart.
- 2009, *Background Document 6. Management Issues Relevant for Biodiversity Conservation in Freshwater Ecosystems*, Hobart.
- Barrett, G, Silcocks, A, Barry, S, Cunningham, R & Poulter, R 2003, *The New Atlas of Australian Birds*, Royal Australasian Ornithologists Union, Hawthorn East, Victoria.
- Bartolozzi, L 1996, 'Description of a new species of *Hoplogonus* Parry, 1875 from Tasmania (Coleoptera, Lucanidae)', *Redia*, vol. 79, no. 1, pp. 915.
- 1996, 'A new species of *Hoplogonus* Parry, 1875 (Coleoptera, Lucanidae)', *Mitteilungen der Schweizerischen Entomologischen Gesellschaft*, vol. 69, pp. 483-7.
- Barton, JL & Davies, PE 1993, 'Buffer strips and streamwater contamination by atrazine and pyrethroids aerially applied to *Eucalyptus nitens* plantations', *Australian Forestry*, vol. 56, pp. 201-10.

- Bekessy, SA, Wintle, BA, Gordon, A, Fox, JC, Chisholm, R, Brown, B, Regan, T, Mooney, N, Read, SM & Burgman, MA 2009, 'Modelling human impacts on the Tasmanian wedge-tailed eagle (*Aquila audax fleayi*)', *Biological Conservation*, vol. 142, pp. 2438-48.
- Belcher, CA 1998, 'Susceptibility of the tiger quoll, *Dasyurus maculatus*, and the eastern quoll, *D. viverrinus*, to 1080-poisoned baits in control programmes for vertebrate pests in eastern Australia', *Wildlife Research*, vol. 25, pp. 33-40.
- Belcher, CA & Darrant, JP 2004, 'Home range and spatial organization of the marsupial carnivore, *Dasyurus maculatus maculatus* (Marsupialia: Dasyuridae) in south-eastern Australia', *Journal of Zoology*, vol. 262, pp. 271-80.
- Belcher, CA & J.P., D 2006, 'Habitat use by tiger quoll (*Dasyurus maculatus*) (Marsupialia: Dasyuridae) in south-eastern Australia', *Journal of Zoology*, vol. 269, pp. 183-90.
- Bell, P 2002, *Survey of Known Sites and Potential Habitat for the Marrawah Skipper in Northwest Tasmania. RD&M for Threatened Species Unit*, Department of Primary Industries, Water and Environment.
- 2005, 'Chaostola skipper – an endangered Tasmanian butterfly', *Forest Practices News*, vol. 6, no. 2, pp. 18-20.
- Bell, P & Miller, B 2005, 'Marrawah skipper discovered at Penguin', *Forest Practices News*, vol. 6, no. 4, pp. 1-2.
- 2005, 'Marrawah skipper discovered at Penguin', *Forest Practices News*, vol. 6, no. 4, pp. 1-2.
- Bell, P & Mooney, N 1997, 'The distribution and abundance of masked owls in Tasmania', *Tasmanian Bird Report*, vol. 25, pp. 41-5.
- Bell, P, Mooney, N & Wiersma, J 1997, *Predicting Essential Habitat for Forest Owls in Tasmania*, Australasian Raptor Association Report to the Tasmanian Environment and Heritage Technical Committee, Hobart.
- Bell, PJ 1997, *Ptunarra Brown Butterfly Oreixenica ptunarra Recovery Program - Summary of actions undertaken 1996/97 and recommendations for future management and monitoring. Internal Report*, Threatened Species Unit, Parks and Wildlife Service, Hobart.
- 1997, *Review of the Recovery Process for the Forty-spotted Pardalote*, Prepared for Environment Australia, Endangered Species Program, Hobart.
- 1997, *Review of the Recovery Process for the Ptunarra Brown Butterfly*, Report Prepared on Behalf of the Ptunarra Brown Butterfly Recovery Team for Environment Australia, Hobart.
- 1998, *Ptunarra Brown Butterfly Recovery Plan 1998-2003*, Department of Primary Industries, Water and Environment, Hobart.
- 2002, *Ptunarra Brown Butterfly Oreixenica ptunarra Recovery Program. Summary of Population and Habitat Monitoring*, Department of Primary Industries, Water and Environment, Hobart.
- Bell, PJ & Mooney, N 2002, 'Distribution, habitat and abundance of masked owls (*Tyto novaehollandiae*) in Tasmania', in I Newton, R Kavanagh, J Olsen & I Taylor (eds), *Ecology and Conservation of Owls*, CSIRO Publishing, Collingwood.
- Binns, G 1954, 'The camp-out at Lake Barrine, Atherton Tableland, North Queensland', *Emu*, vol. 54, no. 1, pp. 29-46.

- Birds Tasmania 2006, *Tasmanian Bird Report produced by Birds Tasmania (and preceding organisation names) from 1971 (volume 1) to 2006 (volume 32), principally the annually produced systematic list for the preceding year of observations.*
- Blackburn, M 1950, 'The Tasmanian whitebait, *Lovettia seali* (Johnston), and the whitebait fishery', *Australian Journal of Marine and Freshwater Research*, vol. 1, no. 2, pp. 155-98.
- Blackhall, S 1995, 'A hawking owl', *Australasian Raptor Association News*, vol. 16, no. 1, p. 18.
- Blake, G 1994, *An Invertebrate Survey of the Wielangta State Forests, Tasmania. Unpublished report*, University of Tasmania, Hobart.
- Blakers, M, Davies, SJJF & Reilly, PN 1984, *The Atlas of Australian Birds*, Melbourne University Press, Brunswick, Melbourne
- Blinn, DW, Blinn, SL & Bayly, IAE 1989, 'Feeding ecology of *Haloniscus earlei* Chilton, an Oniscoid Isopod living in Athalassic saline waters', *Australian Journal of Marine and Freshwater Research*, vol. 40, no. 3, pp. 295-301.
- Blühdorn, DR 1997, *Recovery Plan for the Tasmanian Giant Freshwater Lobster *Astacopsis gouldi* Clark. Unpublished RFA report*, Inland Fisheries Commission, Hobart.
- Bonham, KJ 1997, 'Native land snails of King Island and the Hunter Group', *The Tasmanian Naturalist*, vol. 119, pp. 10-22.
- 1998, *Reassessment of the Status of Tasmanian Native Land Snails*, Threatened Species Unit, Parks and Wildlife Service, Hobart.
- 1999, *Range Boundary Survey for the Keeled Snail *Tasmaphena lamproides**, Forestry Tasmania, Hobart.
- 2000, *Distribution and Habitat Characteristics of *Tasmaphena lamproides* (Keeled Snail) on Private Land*, Forest Practices Board, and the Threatened Species Unit (DPIWE), Hobart.
- 2002, *Unpublished Note to Forest Practices Authority: Skemps Snail Management Proposal for Logging Coupes*, Forest Practices Authority, Hobart, July 2002.
- 2003, 'Biogeography of Tasmanian Native Land Snails', PhD thesis, University of Tasmania.
- 2004, '*Discocharopa vigens* (Legrand, 1871), a threatened Tasmanian charopid land snail', *The Tasmanian Naturalist*, vol. 126, pp. 20-8.
- Bonham, KJ, Mesibov, R & Bashford, R 2008, 'Diversity and abundance of some ground dwelling invertebrates in plantation versus native forest in Tasmania, Australia', *Forest Ecology and Management*, vol. 158, pp. 237-47.
- Bonham, KJ & Taylor, R 1997, 'Distribution and habitat of the land snail *Tasmaphena lamproides* (Pulmonata: Rhytididae)', *Tasmania. Molluscan Research*, vol. 18, pp. 1-10.
- Boskell, T 2006, *A bird list compiled from aboriginal sources.*
- Boulton, AJ, Humphreys, WF & Eberhard, SM 2003, 'Imperilled subsurface waters in Australia: biodiversity, threatening processes and conservation', *Aquatic Ecosystem Health & Management*, vol. 6, no. 1, pp. 41- 4.
- Braby, MF 2000, *Butterflies of Australia: Their Identification, Biology and Distribution*, CSIRO, Melbourne.

- Brereton, R 1993, *The Grey Goshawk (Accipiter novaehollandiae) in Southern Tasmania*, Forestry Commission, Hobart.
- Brereton, R, Bryant, SL & Rowell, M 1997, *Habitat Modelling of the Forty-spotted Pardalote and Recommendations for Management*, Report to RFA Environment and Heritage Technical Committee, Hobart.
- Brereton, R, Mallick, SA & Kennedy, SJ 2004, 'Foraging preferences of swift parrots on Tasmanian blue-gum: tree size, flowering frequency and flowering intensity', *Emu*, no. 104, pp. 377-83.
- Brereton, R & Mooney, NJ 1994, 'Conservation of the nesting habitat of the grey goshawk *Accipiter novaehollandiae* in Tasmanian State forests', *Tasforests*, vol. 6, pp. 79-91.
- Brereton, RN 1997, *Management Prescriptions for the Swift Parrot in Production Forests. Report to the Tasmanian RFA Environment and Heritage Technical Committee*, Hobart.
- Brothers, N, Pemberton, D, Pryor, H & Halley, V 2001, *Tasmania's Offshore Islands: Seabirds and Other Natural Features*, Tasmanian Museum and Art Gallery, Hobart.
- Brothers, NP 1979, 'Further notes on the birds of Maatsuyker Island, Tasmania', *Emu*, vol. 79, pp. 89-91.
- Brown, MJ 2008, *Review of Research that supports the Development and Continuing Improvement of Provisions within the Forest Practices Code*, Forest Practices Authority, Hobart.
- Brown, P 1989, *The Swift Parrot Lathamus discolor. A Report on its Ecology, Distribution, and Status, including Management Considerations*, Department of Lands, Parks and Wildlife, Hobart.
- Brown, PB 1986, *The Forty-spotted Pardalote in Tasmania*, Hobart.
- 1989, 'The forty-spotted pardalote on Maria Island', *Tasmanian Bird Report*, vol. 18, pp. 4-13.
- BRP 2008, *Review of the Biodiversity Provisions of the Tasmanian Forest Practices Code*, Forest Practices Authority, Biodiversity Review Panel, Hobart.
- Bryant, SL 2010, *Conservation Assessment of the Endangered Forty-spotted Pardalote 2009-2010. Report to the Threatened Species Section, DPIPWE and NRM South*, Hobart.
- Bryant, SL & Jackson, J 1990, *Tasmania's Threatened Fauna Handbook: What, Where and How to Protect Tasmania's Threatened Animals* Parks and Wildlife Service, Threatened Species Unit, Hobart.
- 1991, *The Forty-spotted Pardalote Recovery Plan: Management Phase*, Department of Parks, Wildlife and Heritage, Hobart.
- 1992, *Long Term Survival of the Forty-spotted Pardalote on Bruny Island*, Parks, Wildlife and Heritage, Tasmania.
- 1997, 'Status of forty-spotted pardalotes', *Tasmanian Bird Report*, vol. 26, pp. 45-50.
- 1998, 'Little bird in a big package', *Wingspan*, vol. 8, no. 3, pp. 12-5.
- Bunce, SEH, McIntosh, PD, Davies, PE & Cook, LSJ 2001, 'Effects of pre-Code forest clearfelling on the geomorphology and sedimentology of headwater streams in upland granite terrain, Tasmania', paper presented to Proceedings of the Third Australian Stream management Conference, Brisbane Qld.

- Butler, AL 1907, '*Halcyon sanctus* and *Alcyone azurea*', *Emu*, vol. 7, no. 2, p. 89.
- Cann, B, Williams, J & Shields, JM 2002, 'Monitoring large forest owls and gliders after recent logging in production regrowth forests in the mid-north coastal region of New South Wales', in I Newton, R Kavanagh, O J. & I Taylor (eds), *Ecology and Conservation of Owls*, CSIRO Publishing, Collingwood.
- Carter, HJ 1934, 'Australian and New Guinea Coleoptera. Notes and new species. No. III', *Proceedings of the Linnean Society of New South Wales*, vol. 598, pp. 252-69.
- CFEV 2005, <http://www.dpiw.tas.gov.au/inter/nsf/WebPages/JMUY-5QF35H?open>.
- Chilcott, S 1988, 'Examination of the status of endangered species of Trichoptera (caddis-flies) in the Lake Pedder area', in W Fulton (ed.), *Further Collections of Freshwater Fauna from the World Heritage Area, Occasional Report 88-03*, Inland Fisheries Commission Tasmania, pp. 88-03.
- Chilton, C 192, 'On a new isopodan genus (family Oniscidae) from Lake Corangamite, Victoria', *Proceedings of the Linnean Society of New South Wales*, vol. 44, pp. 723-34.
- Christidis, L & Boles, WE 2008, *Systematics and Taxonomy of Australian Birds*, CSIRO Publishing, Collingwood.
- Clark, GM & Spier, F 2003, *A Review of the Conservation Status of Selected Australian Non-Marine Invertebrates*.
- Clarke, A 2006, *Draft Recovery Plans for Threatened Cave Fauna 1: Southern Tasmania*, Threatened Species Unit (DPIW), Tasmania.
- Clarke, AK 1997, *Management Prescriptions for Tasmania's Cave Fauna*, Tasmanian Regional Forest Agreement Environment and Heritage Technical Committee, Tasmania.
- 2000, 'Records of the Tasmanian cava fauna known or purported to be in the South Australian Museum', *Helictite*, vol. 36, no. 2, pp. 23-37.
- 2005, 'An overview of cave areas and the invertebrate cave fauna', paper presented to Tasmania Cave Mania 2005 Proceedings, Dover Tasmania.
- 2006, 'Cavernicole Diversity and Ecology in Tasmania.' Masters thesis.
- Common, IFB 1990, *Moths of Australia*, Melbourne University Press, Carlton.
- Commonwealth of Australia & State of Tasmania 1997, *Tasmanian Regional Forest Agreement between the Commonwealth of Australia and the State of Tasmania*, Commonwealth of Australia and the State of Tasmania, Canberra.
- Commonwealth of Australia and State of Tasmania 2005, *The Tasmanian Community Forest Agreement. Supplementary Tasmania Regional Forest Agreement*, Tasmania.
- Conroy, MJ, Runge, JP, Barker, RJ, Schofield, MR & Fonnesebeck, CJ 2008, 'Efficient estimation of abundance for patchily distributed populations via two-phase adaptive sampling', *Ecology*, vol. 89, pp. 3362-70.
- Couchman, LE 1946, 'Notes on Lepidoptera – Rhopalocera of Tasmania', *Papers and Proceedings of the Royal Society of Tasmania*, no. 1945, pp. 49-53.
- 1953, 'Notes on some forms of *Oreixenica Waterhouse* and *Lyell* (Lepidoptera, Satyridae), with description of new forms', *Proceedings of the Royal Entomological Society of London*, vol. Series B, no. 22, pp. 73-84.

- 1954, 'Notes on some Tasmania and Australian Lepidoptera-Rhopalocera with descriptions of new forms and subspecies', *Papers and Proceedings of the Royal Society of Tasmania*, vol. 88, pp. 67-79.
- 1962, 'Notes on some Tasmanian and Australian Lepidoptera-Rhopalocera', *Papers and Proceedings of the Royal Society of Tasmania*, vol. 96, pp. 73-81.
- 1965, 'Notes on some Tasmanian and Australian Lepidoptera-Rhopalocera. II', *Papers and Proceedings of the Royal Society of Tasmania*, vol. 99, pp. 81-5.
- Couchman, LE & Couchman, R 1977, *Tasmanian Year Book. No. 11*, Hobart, Tasmania.
- 1978, 'The butterflies of Tasmania', *Tasmanian Year Book*, vol. 11, pp. 66-96.
- Cowie, D 2001, *Jewel Beetles of Tasmania: a Field Naturalist's Guide*, Tasmanian Field Naturalists Club, Inc., Hobart.
- Craven, B 1998, *Vegetation Management Plan for Surrey Hills Grassland Reserves, Northwest Tasmania*, North Forests, Burnie.
- CSIRO 2007, *Australian National Insect Database*. <http://anic.ento.csiro.au/>.
- Dartnall, AJ 1970, 'Some Tasmanian chthoniid pseudoscorpions', *Papers and Proceedings of the Royal Society of Tasmania*, vol. 104, pp. 65-8.
- Davies, P, Cook, LSJ & Munks, S 2009, *Wedge and Tyenna block Hydrobiid Snail Study: Pre- vs. Post-logging Survey. Progress Report*, Forest Practices Authority Hobart.
- Davies, PE 1991, *The Fisheries for Freshwater Lobster (Astacopsis gouldi) and Blackfish (Gadopsis marmoratus) in Tasmania. Internal Report*, Inland Fisheries Commission, Tasmania.
- Davies, PE, McIntosh, PD, Wapstra, M, Bunce, SEH, Cook, LSJ, French, B & Munks, SA 2005, 'Changes to headwater stream morphology, habitats and riparian vegetation recorded 15 years after pre-forest practices code forest clearfelling in upland granite terrain, Tasmania, Australia. ' *Forest Ecology and Management*, vol. 217, pp. 331-50.
- Davies, PE & Cook, LSJ 1999, *The Status of Juvenile Astacopsis gouldi Populations in Class 4 Streams. Unpublished Year 1 project*, Forest Practices Board, Tasmania.
- 2002, *The Cataract Snail – B. launcestonensis – Status, Management and Critical Habitats*, Report to Hydro Tasmania by Freshwater Systems, Tasmania.
- 2004, *Juvenile Astacopsis gouldi in Headwater Streams –Relative Abundance and Habitat*, Report to Forest Practices Board, Hobart.
- Davies, PE, Cook, LSJ, McIntosh, PD & Munks, SA 2005, 'Changes in stream biota along a gradient of logging disturbance, 15 years after logging at Ben Nevis, Tasmania', *Forest Ecology and Management*, vol. 219, pp. 132-48.
- Davies, PE, Cook, LSJ, Munks, SA & Meggs, J 2005, 'Astacopsis gouldi Clark - habitat characteristics and relative abundance of juveniles', *TasForests*, vol. 16, pp. 1-18.
- Davies, PE, Cook, LSJ & Sloane, T 2005, *Defining Headwater Stream Habitat Suitability for Juvenile Astacopsis gouldi*, Forest Practices Board, Hobart.
- Davies, PE, Munks, SA, Cook, LSJ, VonMinden, P & Wilson, D 2007, *Mapping Suitability of Habitat for the Giant Freshwater Crayfish, Astacopsis gouldi*, Forest Practices Authority, Hobart.

- Davies, PE & Nelson, M 1994, 'Relationships between riparian buffer widths and the effects of logging on stream habitat, invertebrate community composition and fish abundance', *Australian Journal of Marine and Freshwater Research*, vol. 45, pp. 1289-305.
- Debus, SJS 1993, 'The mainland masked owl *Tyto novaehollandiae*: a review', *Australian Bird Watcher*, vol. 15, pp. 168-91.
- 1995, 'Surveys of large forest owls in Northern New South Wales: methodology, calling behaviour and owl responses', *Corella*, vol. 19, pp. 38-50.
- DEWHA 2006, *EPBC Act Policy Statement 3.6 Nationally Threatened Species and Ecological Communities. Tasmanian Devil (*Sarcophilus harrisii*)*, Department of Environment, Heritage and the Arts, Canberra.
- 2009, *Acanthiza pusilla archibaldi* in *Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.
- 2009, *Acanthornis magna greeniana* in *Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.
- 2009, *Acanthornis magnus greenianus (Scrubtit (King Island)) Advice to the Minister for the Environment and Heritage from the Threatened Species Scientific Committee (TSSC) on Amendments to the list of Threatened Species under the Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act)*, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.
- 2009, *Advice to the Minister for the Environment and Heritage from the Threatened Species Scientific Committee (the Committee) on Amendments to the list of Threatened Species under the Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act)*, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.
- 2009, *Advice to the Minister for the Environment and Heritage from the Threatened Species Scientific Committee (TSSC) on Amendments to the list of Threatened Species under the Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act)*, Department of the Environment, Water, Heritage and the Arts, viewed 23 July 2009.
- 2009, *Advice to the Minister for the Environment and Heritage from the Threatened Species Scientific Committee (the Committee) on Amendments to the list of Threatened Species under the Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act)*, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.
- 2009, *Advice to the Minister for the Environment, Water, Heritage and the Arts from the Threatened Species Scientific Committee (the Committee) on Amendment to the list of Threatened Species under the Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act)*, Department of the Environment, Water, Heritage and the Arts, viewed 23 July 2009.
- 2009, *Approved Conservation Advice (s266B of the Environment Protection and Biodiversity Conservation Act 1999) Approved Conservation Advice for*

- Vombatus ursinus ursinus (Common Wombat (Bass Strait))*, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.
- 2009, *Approved Conservation Advice for Perameles gunnii gunnii (Eastern Barred Bandicoot (Tasmania. A Statement for the Purposes of Approved Conservation Advice (s266B of the Environment Protection and Biodiversity Conservation Act 1999))*, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.
- 2009, *Approved Conservation Advice for Sarcophilus harrisii (Tasmanian Devil) (s266B of the Environment Protection and Biodiversity Conservation Act 1999)*, Department of Environment, Water, Heritage and the Arts, Hobart.
- 2009, *Aquila audax fleayi in Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.
- 2009, *Astacopsis gouldi in Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 23 July 2009.
- 2009, *Background Paper to EPBC Act Policy Statement 3.14: Significant Impact Guidelines for the vulnerable growling grass frog (Litoria raniformis) DRAFT*, Department of the Environment, Water, Heritage and the Arts, Canberra.
- 2009, *Conservation Advice to the Minister for the Environment and Heritage from the Threatened Species Scientific Committee on Engaeus granulatus (Central North Burrowing Crayfish)*, Department of the Environment, Water, Heritage and the Arts, viewed 23 July 2009.
- 2009, *Conservation Advice, under the Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act)*, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.
- 2009, *Dasyurus maculatus maculatus (Tasmanian population) in Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts viewed 22 July 2009.
- 2009, *Engaeus granulatus in Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 23 July 2009.
- 2009, *Engaeus martigener (Furneaux Burrowing Crayfish) Advice to the Minister for the Environment and Heritage from the Threatened Species Scientific Committee (TSSC) on Amendments to the List of Threatened Species under the Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act)*, Department of the Environment, Water, Heritage and the Arts, viewed 23 July 2009.
- 2009, *Engaeus martigener in Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 23 July 2009.
- 2009, *Engaeus orramakunna (Mt Arthur Burrowing Crayfish) Advice to the Minister for the Environment and Heritage from the Threatened Species Scientific Committee (TSSC) on Amendments to the List of Threatened Species under the Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act)*,



- Department of the Environment, Water, Heritage and the Arts, viewed 23 July 2009.
- 2009, *Engaeus orramakunna* in *Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 23 July 2009.
  - 2009, *Engaeus spinicaudatus* (Scottsdale Burrowing Crayfish) *Advice to the Minister for the Environment and Heritage from the Threatened Species Scientific Committee (TSSC) on Amendments to the List of Threatened Species under the Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act)*, Department of the Environment, Water, Heritage and the Arts, viewed 23 July 2009.
  - 2009, *Engaeus spinicaudatus* in *Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 23 July 2009.
  - 2009, *Engaeus yabbimunna* (Burnie Burrowing Crayfish) *Advice to the Minister for the Environment and Heritage from the Threatened Species Scientific Committee (TSSC) on Amendments to the List of Threatened Species under the Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act)*, Department of the Environment, Water, Heritage and the Arts, viewed 23 July 2009.
  - 2009, *Engaeus yabbimunna* in *Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 23 July 2009.
  - 2009, *EPBC Act Policy Statement 3.14: Significant Impact Guidelines for the vulnerable growling grass frog (Litoria raniformis)*, Department of the Environment, Water, Heritage and the Arts, Canberra, 2009.
  - 2009, *Galaxias auratus* (Golden Galaxias) *Advice to the Minister for the Environment and Heritage from the Threatened Species Scientific Committee (TSSC) on Amendments to the list of Threatened Species under the Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act) 6 June 2005*, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.
  - 2009, *Galaxias auratus* in *Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.
  - 2009, *Galaxias fontanus* in *Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.
  - 2009, *Galaxias johnstoni* in *Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.
  - 2009, *Galaxias parvus* in *Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.

- 2009, *Galaxias tanycephalus* in *Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.
- 2009, *Galaxiella pusilla* in *Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.
- 2009, *Hoplogonus bornemisszai* in *Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 23 July 2009.
- 2009, *Lathamus discolor* in *Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.
- 2009, *Lissotes latidens* (*Broad-toothed Stag Beetle*) *Advice to the Minister for the Environment and Heritage from the Threatened Species Scientific Committee (TSSC) on Amendments to the list of Threatened Species under the Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act)*, Department of the Environment, Water, Heritage and the Arts, viewed 23 July 2009.
- 2009, *Lissotes latidens* in *Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 23 July 2009.
- 2009, *Litoria raniformis* in *Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 23 July 2009.
- 2009, *Neophema chrysogaster* in *Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.
- 2009, *Paragalaxias dissimilis* in *Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.
- 2009, *Paragalaxias electroides* in *Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.
- 2009, *Paragalaxias mesotes* (*Arthurs Paragalaxias*) *Advice to the Minister for the Environment and Heritage from the Threatened Species Scientific Committee (TSSC) on Amendments to the list of Threatened Species under the Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act) 6 June 2005*, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.
- 2009, *Paragalaxias mesotes* in *Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.
- 2009, *Pardalotus quadragintus* in *Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.

- 2009, *Perameles gunnii gunnii* in *Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts viewed 22 July 2009.
- 2009, *Prototroctes maraena* in *Species Profile and Threats Database*. Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 28 July 2009.
- 2009, *Sarcophilus harrisii* in *Species Profile and Threats Database*, Available from: <http://www.environment.gov.au/sprat>, Department of Environment, Water, Heritage and the Arts viewed 22 July 2009.
- 2009, *Vombatus ursinus ursinus* in *Species Profile and Threats Database*, Available from: <http://www.environment.gov.au/sprat>, Department of the Environment, Water, Heritage and the Arts, viewed 22 July 2009.
- Dignan, P, Kefford, B, Smith, N, Hopmans, P & Doeg, T 1996, *The Use of Buffer Strips for the Protection of Streams and Stream Dependent Biota in Forested Ecosystems*. Centre for Forest Tree Technology, Draft 3, Department of Natural Resources and Environment, Victoria.
- Doran, N 2002, *Lots of invertebrata news! Invertebrata* <http://www.qvmag.tas.gov.au/zoology/invertebrate/onlinearchive/onlinetext/inv22-2-02.htm>, viewed 22 February 2002.
- Doran, N & Driessen, M 2001, *Unpublished data and as yet unentered into databases but mentioned in an internal Department of Primary Industries, Water and Environment letter to a land manager*.
- Doran, NE 1998, *The Burnie Burrowing Crayfish, Engaeus yabbimunna: Assessment of the Seabrook Creek Catchment for the CAR Private Reserve System. Report to the RFA Private Land Reserve Program*, Department of Primary Industry, Water & the Environment, Hobart.
- 1999, *Survey of the Burrowing Crayfish at a Proposed Dam Site for Forester River Farms Pty Ltd, with Recommendations for Managing the Development*, Parks & Wildlife Service, Threatened Species Unit, Hobart.
- 2000, *Burrowing Crayfish Group Recovery Plan 2001-2005*, Department of Primary Industry, Water and Environment, Hobart.
- Doran, NE, Eberhard, SM, Richardson, AMM & Swain, R 1997, 'Invertebrate Biodiversity and Conservation in Tasmanian Caves', *Memoirs of the Museum of Victoria*, vol. 56, pp. 649-53.
- Doran, NE, Kiernan, K, Swain, R & Richardson, AMM 1999, 'Hickmania troglodytes, the Tasmanian cave spider, and its potential role in cave management', *Journal of Insect Conservation*, vol. 3, pp. 257-62.
- Doran, NE & Richards, K 1996, *Management Requirements for Rare and Threatened Burrowing Crayfish in Tasmania. Report to the Tasmanian RFA*, Environment and Heritage Technical Committee, Hobart.
- Doran, NE & Richardson, AMM 2009, *97 Stony Rise Road: Burrowing Crayfish Site Survey and Management Recommendations. Report to Hardings Hotmix Ltd.*, Hardings Hotmix Ltd, Hobart.
- Doran, NE, Richardson, AMM & Wood, SL 2000, *Potential Effects of Changes to Hydro Power Generation. Appendix II: Gordon River Cave Fauna Report*, Hydro Tasmania.

- Dorr, TL 1999, 'Foraging Behaviour and Habitat Selection of the Forty-spotted Pardalote *Pardalotus quadragintus*', Honours thesis, University of Tasmania.
- Dove, HS 1907, 'Some Tasmanian birds', *Emu*, vol. 7, no. 1, pp. 39-40.
- DPIF 1996, *A Guide to Riparian Vegetation and its Management*, Department of Primary Industry and Fisheries, Tasmania.
- DPIPWE 2010, *GlobMap, The Swift Parrot Foraging Habitat Map*, Department of Primary Industries, Parks, Water & Environment, Hobart, 2010.
- DPIWE 2005, *Lakes Sorell and Crescent Water Management Plan*, Department of Primary Industries, Water and the Environment, Hobart.
- DPIWPE 2011, *Threatened Native Vegetation Communities List (Version as per Schedule 3 of the Nature Conservation Act 2002)*.  
<http://www.dpiw.tas.gov.au/inter.nsf/WebPages/AWAH-6547ZL?open>,  
Department of Primary Industries, Parks, Water & Environment, Hobart.
- Eberhard, SM 1999, *Cave Fauna Management and Monitoring at Ida Bay, Tasmania*, Parks and Wildlife Service, Tasmania.
- 2000, *Reconnaissance Survey of Cave Fauna Management Issues in the Mole Creek Kast National Park*, Department of Primary Industries, Water and Environment Hobart.
- Eberhard, SM, Richardson, AMM & Swain, RS 1991, *The Invertebrate Cave Fauna of Tasmania*, University of Tasmania, Hobart.
- Ellis, P & Williams, WD 1970, 'The biology of *Haloniscus searlei* Chilton, an oniscoid isopod living in Australian salt lakes', *Australian Journal of Marine and Freshwater Research*, vol. 21, no. 1, pp. 51-70.
- Fauth, PT, Gustafson, EJ & Rabenold, KN 2000, 'Using landscape metrics to model source habitat for neotropical migrants in the midwestern U.S.' *Landscape Ecology*, vol. 15, pp. 621-31.
- Fernandez, K 2004, *Miena Jewel Beetle, Castiarina insculpta. Preliminary Survey Report*, Department of Primary Industries and Water, Threatened Species Unit, Hobart.
- Fielding, P 1976, 'Birds of the far west coast of Tasmania', *The Tasmanian Naturalist*, vol. 45, pp. 12-6.
- Fleay, D 1949, 'The Tasmanian masked owl', *Emu*, vol. 48, no. 3, pp. 169-76.
- Fletcher, JA 1915, 'Nesting of the black cormorant (*Phalacrocorax carbo*) in Tasmania', *Emu*, vol. 15, no. 2, pp. 114-8.
- Fox, J, Meggs, J, Munks, S & McCarthy, M 2004, *Chapter 1. Simsons stag beetle (Hoplogonus simsoni)*, Melbourne University and Forestry Tasmania.
- Fox, JC, Mesibov, R, M.A., M & M.A., B 2004, *Giant Velvet Worm (Tasmanipatus barretti) in Tasmania, Australia*, Species Conservation and Management. Case Studies, Oxford University Press, New York.
- Fox, JC, Regan, TJ, Bekessy, S, Wintle, BA, Brown, MJ, Meggs, JM, Bonham, K, Mesibov, R, McCarthy, MA, Munks, SA, Wells, P, Brereton, RJ, Graham, K, Hickey, J, Turner, P, Jones, M, Brown, WE, Mooney, NJ, Grove, S, Yamada, K & Burgman, MA 2004, *Linking Landscape Ecology and Management to Population Viability Analysis. A report prepared by Melbourne University for Forestry Tasmania*, Melbourne University.

- FPA 29 April 2004, *Administrative Instruction To All Forest Practices Officers: Interim Moratorium on the Clearing of Forest on King Island*.
- 2004, *Clearing of Forest Vegetation on King Island*.
- various dates, *Fauna Values Database, and associated hyperlinked profiles of species, and distribution maps*. As downloaded from FPA's web site, [www.fpa.tas.gov.au](http://www.fpa.tas.gov.au), Forest Practices Authority.
- 2005, *Forest Botany Manual*, Forest Practices Authority, Hobart.
- 2008, *Planning Guideline 2008/1. An Internal Planning Framework Developed by the Forest Practices Authority for the Purposes of Delivering Management Prescriptions through the Threatened Fauna Adviser to Avoid or Limit the Clearance and Conversion of Significant Habitat for Threatened Forest Fauna*, Hobart.
- 2009, *Instruction issued to FPO's on interim guidelines for notifying the FPA of coupes within the potential breeding habitat of the Swift Parrot. Issued by the Chief Forest Practices Officer 8 December 2009*, Hobart.
- undated, *Draft species profile*  
[http://www.fpa.tas.gov.au/fileadmin/user\\_upload/PDFs/Zoology\\_Ecology/tfm\\_wel\\_dborough\\_forest\\_weevil\\_draft.pdf](http://www.fpa.tas.gov.au/fileadmin/user_upload/PDFs/Zoology_Ecology/tfm_wel_dborough_forest_weevil_draft.pdf), Forest Practices Authority, viewed 16 May 2009.
- undated, *Draft species profile from FPA's Threatened Fauna Manual and cited references therein*, Forest Practices Authority, Hobart.
- 2010, *Goshawk Habitat Categories*, 12, Forest Practices Authority, Hobart, 2010.
- 2010, *Interim Species Habitat Planning Guideline for the Conservation Management of Lathamus discolor (Swift Parrot) in Areas Regulated under the Tasmanian Forest Practices System*, Forest Practices Authority, Hobart.
- FPB 1999, *Fauna Technical Note 7*, Forest Practices Board, Hobart.
- 2000, *Forest Practices Code 2000*, Hobart.
- 2002, *Fauna Technical Note Series No. 11: Method for Surveying for Threatened Stag Beetle Species*, Forest Practices Board, Hobart.
- 2002, *Threatened Fauna Adviser. Decision Support Software*, Forest Practices Board.
- FSPG 2006, *Strategic Plan for Lissotes menalcas (Mt Mangana stag beetle) in Areas subject to a Forest Practices Plan in South East Tasmania. Draft plan prepared by Fauna Strategic Planning Group*, Fauna Strategic Planning Group, Hobart.
- FT 1999, *Derwent Forest District Forest Management Plan – June 1999*, Forestry Tasmania, Hobart.
- FT & DPIPWE 2008, *Species Management Plan for Hoplogonus simsoni (Simsons stag beetle) on State Forest in Northeast Tasmania: Public Authority Management Agreement between Forestry Tasmania and the Department of Primary Industries and Water*, Forestry Tasmania and the Department of Primary Industries and Water, Hobart.
- Fulford, D 2011, 'Searching for a skipper', *Forest Practices News*, vol. 10, no. 4, pp. 10-1.
- Garnett, ST & Crowley, GM 2000, *Action Plan for Australian Birds 2000*, Environment Australia, Canberra.

- Gartrell, BD 2000, 'The nutritional, morphologic and physiologic bases of nectarivory in Australian birds', *Journal of Avian Medicine and Surgery*, vol. 14, no. 2, pp. 85-94.
- 2002, 'Assessment of the reproductive state in male swift parrots (*Lathamus discolor*) by testicular aspiration and cytology', *Journal of Avian Medicine and Surgery*, vol. 16, no. 3, pp. 211-7.
- 2002, 'Nutritional and Physiological Constraints on Reproduction in the Endangered Swift Parrot, *Lathamus discolor*', PhD thesis, University of Tasmania.
- Gartrell, BD & Jones, SM 2001, 'Eucalyptus pollen grain emptying by two Australian nectarivorous psittacines', *Journal of Avian Biology*, vol. 32, pp. 24-230.
- Gartrell, BD, Jones, SM, Brereton, RN & Astheimer, LB 2000, 'Morphological adaptations to nectarivory of the alimentary tract of the swift parrot *Lathamus discolor*', *Emu*, vol. 100, pp. 274-9.
- Gartrell, BD, Raidal, SR & Jones, SM 2003, 'Renal disease in captive swift parrots (*Lathamus discolor*): part 1. clinical findings and disease management', *Journal of Avian Medicine and Surgery* vol. 17, no. 4, pp. 34-44.
- 2003, 'Renal disease in captive swift parrots (*Lathamus discolor*): part 2. the effect of diet on plasma uric acid concentrations', *Journal of Avian Medicine and Surgery*, vol. 17, no. 4, pp. 45-51.
- Gerber, LR, McCallum, HI, Lafferty, KD, Sabo, JL & Dobson, A 2005, 'Exposing extinction risk analysis to pathogens: is disease just another form of density dependence?' *Ecological Applications*, vol. 15, no. 4, pp. 1402-14.
- Giachino, PM 2005, 'Revision of the genus *Catadromus* W.S. Macleay, 1825 (Coleoptera, Carabidae). Results of the Zoological Missions to Australia of the Regional Museum of Natural Sciences of Turin, Italy. II.' *Monographs Museo Regionale di Scienze Naturali Torino*, vol. 42, pp. 239-68.
- Glen, AS & Dickman, CR 2006, 'Home range, denning behaviour and microhabitat use of the carnivorous marsupial *Dasyurus maculatus* in eastern Australia', *Journal of Zoology*, vol. 268, pp. 347-54.
- Green, A 2008, *Article on a survey of Tunbridge Lagoon. The Launceston Naturalist 42(1):* (<http://www.lfnc.org.au/PDF%20files/October-November%202008.pdf>, viewed 2 August 2009.
- Green, RH 1982, 'Breeding and food of the masked owl', *The Tasmanian Naturalist*, vol. 69, pp. 4-6.
- 1995, *Birds of Tasmania: An Annotated Checklist with Illustrations*, Potoroo Publishing, Launceston.
- Green, RH & McGarvie, AM 1971, 'The birds of King Island', *Records of the Queen Victoria Museum*, vol. 40, pp. 1-42.
- Green, RH & Mollison, BC 1961, 'Birds of Port Davey and south coast of Tasmania', *Emu*, vol. 61, pp. 223-36.
- Green, RH & Rainbird, JL 1985, 'Food of the masked owl *Tyto novaehollandiae*', *The Tasmanian Naturalist*, vol. 82, pp. 5-7.
- 1987, 'The common wombat *Vombatus ursinus* (Shaw, 1800) in northern Tasmania – Part 1. Breeding, growth and development', *Records of the Queen Victoria Museum*, vol. 91, pp. 1-19.

- 1988, 'The common wombat *Vombatus ursinus* (Shaw, 1800) in northern Tasmania – Part 2. The Bass Strait population, *V. ursinus ursinus*', *Records of the Queen Victoria Museum*, vol. 92, pp. 1-7.
- Natural History and Calls of Tasmanian Frogs*. Cassette tape available from the DFNG. 68 Dynans Bridge Road, Weegena Tas 7304 1996, Cassette tape, DFNG, 1996. Distributed by Deloraine Field Naturalist Group.
- Grove, S, Yee, M & Borrer Closs, L 2007, *Tailoring forest management to the habitat needs of the giant velvet worm*, vol. 19, Biodiversity: Integrating Conservation and Production, Case Studies from Australian Farms, Forestry and Fisheries, CSIRO Publishing, Collingwood.
- Grove, SJ, Meggs, JM & Goodwin, A 2002, *A Review of Biodiversity Conservation Issues relating to Coarse Woody Debris Management in Wet Eucalypt Production Forests of Tasmania*, Report for Forestry Tasmania, Hobart.
- Growns, IO 1995, '*Astacopsis gouldi* in streams of the Gog Range, northern Tasmania: the effects of catchment disturbance', *Papers and Proceedings of the Royal Society of Tasmania*, vol. 129, pp. 1-6.
- Gudde, J 2004, *Lakes Sorell and Crescent Catchment Management Plan*, Inland Fisheries Service, Hobart.
- Gunns Ltd undated, *Management of Native Grassland Reserves in Surrey Hills*. Information Sign and web document.
- Hamr, P 1990, 'Comparative Reproductive Biology of the Tasmanian Freshwater Crayfishes *Astacopsis gouldi* Clark, *Astacopsis franklinii* Gray, and *Parastacoides tasmanicus* Clark (Decapoda: Parastacidae)', PhD thesis, University of Tasmania.
- 1990, 'Rare and endangered: Tasmanian giant freshwater lobster', *Australian Natural History*, vol. 23, p. 362.
- 1992, 'A revision of the Tasmanian freshwater crayfish genus *Astacopsis huxley* (Decapoda: Parastacidae) a freshwater crayfish from Tasmania', *Papers and Proceedings of the Royal Society of Tasmania*, vol. 126, pp. 91 - 4.
- 1996, *A giant's tale: the life history of Astacopsis gouldi (Decapoda: Parastacidae)*. *Freshwater Crayfish XI*, Lakehead University, Ontario, Canada.
- Harris, S & Kitchener, A 2005, *From Forest to Fjeldmark: Descriptions of Tasmania's Vegetation*, Department of Primary Industries, Water and Environment, Hobart.
- Hawkeswood, TJ 2007, *Beetles (Coleoptera) of the Shell Picture Card series: Carabidae. Calodema Supplementary Paper 47*, vol. 47, Shell Picture Card series.
- Hawkins, CE, Baars, C, Hesterman, H, Hocking, GJ, Jones, ME, Lazenby, B, Mann, D, Mooney, N, Pemberton, D, Pyecroft, S, Restani, M & Wiersma, J 2006, 'Emerging disease and population decline of an island endemic, the Tasmanian devil *Sarcophilus harrisii*', *Biological Conservation*, vol. 131, no. 2, pp. 307-24.
- HCC 2005, *Knocklofty Reserve-McRobies Gully Fire Management Plan 2005 Revision*, Hobart City Council, Hobart.
- Hickman, VV 1936, 'A new mygalomorph spider belonging to the genus *Hexathele Ausserer*', *Papers and Proceedings of the Royal Society of Tasmania*, vol. 1935, pp. 131-7.

- Higgins, PJ 1999, *Handbook of Australian, New Zealand and Antarctic Birds*, vol. Vol. 4. Parrots to Dollarbird, Oxford University Press, Melbourne.
- Hill, LH 1955, 'Notes on the habits and breeding of the Tasmanian masked owl', *Emu*, vol. 55, pp. 203-10.
- 1955, 'Notes on the habits and breeding of the Tasmanian masked owl', *Emu*, vol. 55, pp. 203-10.
- Hindwood, KA 1940, 'Birds of Lord Howe Island', *Emu*, vol. 40, pp. 1-86.
- Hindwood, KA & Sharland, M 1964, 'The swift parrot', *Emu*, vol. 63, pp. 310-26.
- Hingston, AB, Gartrell, BD & Pinchbeck, G 2004, 'How specialized is the plant-pollinator association between *Eucalyptus globulus* sp. *globulus* and the swift parrot *Lathamus discolor*?' *Austral Ecology*, vol. 29, pp. 624-30.
- Hingston, AB & Potts, BM 2005, 'Pollinator activity can explain variation in outcrossing rates within individual trees', *Austral Ecology*, vol. 30, pp. 319-24.
- Hobart Water 2000, *Lake Fenton / Lady Barron Creek Drinking Water Catchment Management Plan*.
- Hocking, GJ 1980, 'The occurrence of the New Holland Mouse, *Pseudomys novaehollandiae* (Waterhouse), in Tasmania', *Australian Wildlife Research*, vol. 7, pp. 71-7.
- Hollands, D 1991, *Birds of the Night*, Reed, Sydney.
- 1999, *Kingfishers & Kookaburras*, Reed New Holland, Sydney.
- Hope, JH 1974, 'The biogeography of the mammals of the islands of Bass Strait', *Monographiae Biologicae: Biogeography and Ecology in Tasmania*, vol. 25, pp. 397-415.
- 1974, 'Mammals of the Bass Strait islands', *Proceedings of the Royal Society of Victoria*, vol. 85, pp. 163-95.
- Hopgood-Douglas, SI 2005, 'Predicting the Distribution and Habitat Requirements of the Threatened Freshwater Burrowing Crayfish *Engaeus granulatus*', Honours thesis, University of Tasmania.
- Horner, D 1998, *Comparative Study of the Effects of Logging Operations on the GVW Population of GC171A*, Forestry Tasmania, Tasmania.
- Horner, DJ 1995, 'The Ecology of Two Parapatric Species of Tasmanipatus (Onychophora), *T. barretti* and *T. anophthalmus*', Honours thesis, University of Tasmania.
- Horwitz, P 1990, *Conservation status of Australian freshwater Crustacea*, Australian National Parks and Wildlife Service, Canberra.
- 1991, *On the Distribution and Exploitation of the Tasmanian Giant Freshwater Lobster *Astacopsis gouldi* Clark*, Centre for Environmental Studies, University of Tasmania, Hobart.
- 1994, 'The distribution and conservation status of the Tasmanian giant freshwater lobster *Astacopsis gouldi* Clark (Decapoda: Parastacidae)', *Biological Conservation* vol. 69, pp. 199-206.
- Horwitz, P, Adams, M & Baverstock, P 1990, 'Electrophoretic contributions to the systematics of the freshwater crayfish genus *Engaeus* Erichson (Decapoda: Parastacidae)', *Invertebrate Taxonomy*, vol. 4, no. 3, pp. 615-41.



- Horwitz, P & Hamr, P 1988, 'An assessment of the Caroline Creek freshwater crayfish reserve in northern Tasmania', *Papers and Proceedings of the Royal Society of Tasmania*, vol. 122, pp. 69-72.
- Horwitz, PHJ 1986, 'Systematics and Zoogeography of the Freshwater Crayfish Genus *Engaeus* (Erichson) (Decapoda: Parastacidae)', PhD thesis, University of Tasmania.
- 1990, 'A taxonomic revision of species in the freshwater crayfish genus *Engaeus* Erichson (Decapoda: Parastacidae)', *Invertebrate Taxonomy*, vol. 4, no. 3, pp. 427-614.
- 1991, *The Conservation Biology of Engaeus spinicaudatus, a Threatened Crayfish from North-eastern Tasmania*, Australian National Parks and Wildlife Service, Canberra.
- 1994, 'A new species of the freshwater crayfish genus *Engaeus* Erichson (Decapoda: Parastacidae) from north-western Tasmania', *Memoirs of the Museum of Victoria*, vol. 54, no. 2, pp. 439-45.
- Horwitz, PHJ & Richardson, AMM 1986, 'An ecological classification of the burrows of Australian freshwater crayfish', *Australian Journal of Marine & Freshwater Research*, vol. 37, no. 2, pp. 237-42.
- Hunt, GS 1990, '*Hickmanoxyomma*, a new genus of cavernicolous harvestmen from Tasmania (Opiliones: Triaenonychidae)', *Records of the Australian Museum*, vol. 42, pp. 45-68.
- Hutchinson, M, Swain, R & Driessen, M 2001, *Snakes and Lizards of Tasmania*, vol. 9, Fauna of Tasmania Handbook, University of Tasmania and Department of Primary Industries, Water and Environment.
- Hutchinson, MN & Donnellan, SC 1988, 'A new species of scincid lizard related to *Leiopisma entrecasteauxii*, from southeastern Australia', *Transactions of the Royal Society of South Australia*, vol. 112, pp. 143-51.
- 1992, 'Taxonomy and genetic variation in the Australian lizards of the genus *Pseudemoia* (Scincidae: Lygosominae)', *Journal of Natural History*, vol. 26, pp. 215-64.
- Hydro Consulting 2009, *Lauderdale Quay Terrestrial Fauna Impact Statement Chequered Blue Butterfly Survey*, Hydro Consulting, Tasmania.
- IFS 2006, *Whitebait Fishery Management Plan*, Inland Fisheries Service, Tasmania, 2006.
- 2008, *Fact Sheet for Brown Trout* (<http://www.ifs.tas.gov.au/ifs/IFSDatabaseManager/SpeciesDatabase/brown-trout>), Inland Fisheries Service, viewed 28 July 2008.
- Ikonomopoulou, M & Rose, RW 2003, 'The metabolic rate and thermal conductance of the eastern barred bandicoot (*Perameles gunnii*) at different ambient temperatures', *Australian Journal of Zoology*, vol. 51, pp. 603-10.
- Ikonomopoulou, MP 2003, 'Lactation and Thermal Energetics of the Eastern Barred Bandicoot *Perameles gunnii* (Marsupialia: Peramedlidae)', Masters thesis.
- Ikonomopoulou, MP & Rose, RW 2006, 'The development of endothermy during pouch life in the eastern barred bandicoot (*Perameles gunnii*), a marsupial', *Physiological and Biochemical Zoology* vol. 79, no. 3, pp. 468-73.

- Invertebrate Advisory Committee 1994, *Interim List of Native Invertebrates which are Rare or Threatened in Tasmania. Species at Risk – Invertebrates*, Parks and Wildlife Service, Tasmania.
- Jackson, J 2000, 'Threatened trichoptera (caddisflies) from the Tasmanian Wilderness World Heritage Area. ' *Papers and Proceedings of the Royal Society of Tasmania*, vol. 134, pp. 55-61.
- Jacobs, MR 1955, *Growth Habits of the Eucalypts*, Forestry and Commonwealth Timber Bureau, Canberra.
- Jones, ME 2000, 'Road upgrade, road mortality and remedial measures: impacts on a population of eastern quolls and Tasmanian devils', *Wildlife Research* vol. 27, pp. 289-96.
- Jones, ME, Oakwood, M., Belcher, C.A., Morris, K., Murray, A.J., Woolley, P.A., Firestone, K.B., Johnson, B. & Burnett, S. 2003, *Carnivore concerns: Problems, issues and solutions for conserving Australasia's marsupial carnivores*, IN: *Predators with Pouches: The Biology of Carnivorous Marsupials*. , CSIRO Publishing,, Collingwood.
- Jones, ME 2003, 'Convergence in ecomorphology and guild structure among marsupial and placental carnivores', in M Jones, C Dickman & M Archer (eds), *Predators with Pouches: The Biology of Carnivorous Marsupials*, CSIRO Publishing, Collingwood.
- Jones, ME, Paetkau, D., Geffen, E. & Moritz, C 2003, 'Microsatellites for the Tasmanian devil (*Sarcophilus harrisi*). .2003.00425.x.' *Molecular Ecology Notes*, doi., vol. 10., no. 1046/j., pp. 1471-8286.
- Jones, ME & Barmuta, LA 2000, 'Niche differentiation among sympatric Australian dasyurid carnivores', *Journal of Mammalogy*, vol. 81, no. 2, pp. 434-47.
- Jones, ME, Dickman, C & Archer, M 2003, *Predators with Pouches: The Biology of Carnivorous Marsupials*, CSIRO Publishing, Collingwood.
- 2003, *Predators with Pouches: The Biology of Carnivorous Marsupials*, CSIRO Publishing, Collingwood.
- Jones, ME, Oakwood, M, Belcher, CA, Morris, K, Murray, AJ, Woolley, PA, Firestone, KB, Johnson, B & Burnett, S 2003, *Predators with Pouches: The Biology of Carnivorous Marsupials* CSIRO Publishing, Collingwood.
- Jones, ME, Paetkau, D, Geffen, E & Moritz, C 2004, 'Genetic diversity and population structure of Tasmanian devils, the largest marsupial carnivore', *Molecular Ecology* vol. 13, pp. 2197-209.
- Jones, ME & Rose, RK 1996, *Preliminary Assessment of Distribution and Habitat Associations of the Spotted-tailed Quoll (*Dasyurus maculatus maculatus*) and Eastern Quoll (*D. viverrinus*) in Tasmania to determine Conservation and Reservation Status*, Tasmanian Regional Forest Agreement Environment and Heritage Technical Committee, Hobart.
- Jones, SM, Lockhart, TJ & Rose, RW 2005, 'Adaptation of wild-caught Tasmanian devils (*Sarcophilus harrisi*) to captivity: evidence from physical parameters and plasma cortisol concentrations', *Australian Journal of Zoology*, vol. 53, pp. 339-44.

- Kabat, AP, Rose, R.W., West, A.K. 2004, 'Molecular identification of uncoupling proteins 2 and 3 in a carnivorous marsupial, the Tasmanian devil (*Sarcophilus harrisii*). ' *Physiological and Biochemical Zoology*, vol. 77, no. 1, pp. 109-15.
- Kabat, AP, Rose, RW & West, AK 2003, 'Non-shivering thermogenesis in a carnivorous marsupial, *Sarcophilus harrisii*, in the absence of UCPI', *Journal of Thermal Biology*, vol. 28, pp. 413-20.
- Kavanagh, R & Stanton, M 2002, 'Response to habitat fragmentation by the Powerful Owl, Sooty Owl, Masked Owl and other nocturnal fauna in south-eastern Australia', in I Newton, R Kavanagh, J Olsen & I Taylor (eds), *Ecology and Conservation of Owls* CSIRO Publishing, Collingwood.
- Kavanagh, RP 1996, 'The breeding biology and diet of the masked owl, *Tyto novaehollandiae* near Eden, New South Wales', *Emu*, vol. 96, pp. 158-60.
- Kavanagh, RP & Murray, M 1996, 'Home range, habitat and behaviour of the masked owl *Tyto novaehollandiae* near Newcastle, New South Wales', *Emu*, vol. 96, no. 4, pp. 250-7.
- Kavanagh, RP & Peake, P 1993, 'Survey procedures for nocturnal forest birds: an evaluation of variability in census results due to temporal factors, weather and technique', in P Olsen (ed.), *Australasian Raptor Studies*, Australasian Raptor Association, Melbourne.
- Kennedy, SJ 1998, 'Foraging Ecology of the Swift Parrot (*Lathamus discolor*) in the Box-Ironbark Region of Victoria', Honours thesis, University of Ballarat.
- Kennedy, SJ & Overs, AE 2001, 'Foraging ecology and habitat use of the swift parrot on the south-western slopes of New South Wales', *Corella*, vol. 25:, pp. 68-74.
- Kennedy, SJ & Tzaros, CL (in press), 'Foraging ecology of the swift parrot *Lathamus discolor* in the box-ironbark forests and woodlands of Victoria', *Pacific Conservation Biology*.
- Key, KHL 1990, 'On the identity of Erichson's Species *Calliptamus baiulus* (Orthoptera: Acrididae)', *Invertebrate Taxonomy*, vol. 3, pp. 519-22.
- 1991, 'Rediscovery of the Tasmanian Grasshopper *Schayera baiulus* (Orthoptera: Acrididae) in the Field', *Australian Journal of Zoology*, vol. 39, pp. 655-60.
- Kiernan, K 2002, *Forest Sinkhole Manual*. Forest Practices Board, Hobart, Tasmania, Forest Practices Board, Hobart.
- KINRMG 2002, *King Island Flora: a Field Guide*.
- KINRMGI undated, *Are we losing our native birds on King Island? Brochure produced by the KINRMI*, King Island Natural Resource Management Group Inc.
- 2003, *The Fauna of King Island: A Guide to Identification and Conservation Management*, King Island Natural Resource Management Group Inc, 2003.
- Kirkpatrick, JB, Zacharek, AR & Chappell, KJ 2000, 'Testing methods for mitigation of tree dieback in Tasmanian dry eucalypt forests and woodlands', *Pacific Conservation Biology*, vol. 6, no. 2, pp. 94-101.
- Koch, A 2007, *Recent Research Findings and Management Recommendations to Meet Objectives and Requirements of the Hollow Provisions of Tasmania's Forest Practices System. Report for the Biodiversity Expert Review Panel*, Forest Practices Authority, Hobart.
- Koch, AJ & Baker, S 2011, 'Using aerial photographs to remotely assess tree hollow availability', *Biodiversity and Conservation*, vol. 20, pp. 1089-101.

- Koch, AJ, Munks, SA, Driscoll, DA & Kirkpatrick, JB 2008, 'Does hollow occurrence vary with forest type? A case study in wet and dry *Eucalyptus obliqua* forest', *Forest Ecology and Management*, vol. 255, pp. 3938-51.
- Lauck, V 2005, 'Can life history studies contribute to understanding the impacts of clearfell logging on pond breeding anurans? A review', *Applied Herpetology* vol. 2, pp. 125-37.
- Law, B, Mackowski, C, Schoer, L & Tweedie, T 2000, 'Flowering phenology of myrtaceous trees and their relation to climatic, environmental and disturbance variables in northern New South Wales', *Austral Ecology*, vol. 25, pp. 160-78.
- Law, BS & Chidel, M 2008, 'Quantifying the canopy nectar resource and the impact of logging and climate in spotted gum *Corymbia maculata* forests', *Austral Ecology*, vol. 33, pp. 999-1014.
- Lazenby, B, Pye, T, Richardson, A & Bryant, SL 2008, 'Towards a habitat model for the new holland mouse *Pseudomys novaehollandiae* in Tasmania - population vegetation associations and an investigation into individual habitat use', *Australian Mammalogy*, vol. 29, pp. 137-48.
- Lazenby, BL 1999, 'Vegetation Associations and Spatial Relations in the New Holland Mouse, *Pseudomys novaehollandiae* (Rodentia:Muridae) in Tasmania', Honours thesis, University of Tasmania.
- 2009, *Habitat Identification and Hair Tube Surveys for the Endangered New Holland Mouse in Tasmania with a Focus on the St Helens area*, North East Bioregional Network, St Helens.
- Lea, AM 1910, 'Notes on the genus *Lissotes*, with descriptions of new species', *Papers and Proceedings of the Royal Society of Tasmania*, vol. 1910, pp. 346-66.
- Legrand, W 1871, *Collections for a Monograph of Tasmanian Land Snails*, Hobart.
- Leighton, S 2001, *A tale of two rare and threatened invertebrates (online version)*.
- Lindemayer, D & Munks, SA 2001, 'Plantation design and fauna conservation in Tasmania: Part 2, Principles and Recommendations', *Tasforests*, vol. 12, no. 2, pp. 173-80.
- Littlejohn, MJ & Martin, A 1974, 'The Amphibia of Tasmania', in WD Williams (ed.), *Biogeography and Ecology in Tasmania*, W. Junk, The Hague.
- Littler, FM 1910, *A Handbook of the Birds of Tasmania and its Dependencies*, Self-published, Launceston, Tasmania.
- Ikonomopoulou, M, Smolenski, AJ & Rose, RW 2005, 'Changes in milk composition during lactation in the eastern barred bandicoot (*Perameles gunnii*) (Marsupialia: Permelidae)', *Australian Journal of Zoology*, vol. 53, pp. 59-65.
- Lynch, DD 1967, *A Synopsis of Biological Data of the Giant Freshwater Crayfish *Astacopsis gouldi* Clark 1936*, Inland Fisheries Commission, Hobart.
- Lynch, T & Blühdorn, DR 1997, *Reservation Assessment and Habitat Requirements of the Giant Tasmanian Freshwater Lobster, *Astacopsis gouldi*. Report to the Tasmanian RFA*, Environment and Heritage Technical Committee, Hobart.
- Mallick, S, James, D, Brereton, R & Plowright, S 2004, 'Blue gums *Eucalypts globulus* in north-west Tasmania: an important food resource for the endangered swift parrot *Lathamus discolor*', *Victorian Naturalist*, vol. 121, pp. 36-46.

- Mallick, SA, Driessen, MM & Hocking, GJ 1997, *Biology and Conservation of the Eastern Barred Bandicoot (Perameles gunnii) in Tasmania. Wildlife Report No. 97/1*, Parks and Wildlife Service, Tasmania.
- Martin, A & Littlejohn, MJ 1982, *Tasmanian Amphibians*, vol. 6, Fauna of Tasmania Handbook, University of Tasmania, Hobart.
- Martin, RW, Handasyde, KA & Skerratt, LF 1998, 'Current distribution of sarcoptic mange in wombats', *Australian Veterinary Journal*, vol. 76, no. 6, pp. 411-4.
- Maxwell, S, Burbidge, AA & Morris, K 1996, *The 1996 Action Plan for Australian Marsupials and Monotremes*.
- McCallum, H & Jones, ME 2006, 'To lose both would look like carelessness: Tasmanian Devil Facial Tumour Disease', *Public Library of Science Biology*, vol. 4, no. 10, pp. 1671-4.
- McCallum, HI 2003, 'Pathogens in patches: effects of habitat fragmentation on the impact of disease', *Journal of Parasitology*, vol. 89, p. 114.
- McCallum, HI, Barlow, N & Hone, J 2000, 'Modelling transmission: mass action and beyond', *Trends in Ecology and Evolution*, vol. 17, no. 2, p. 64.
- McCallum, HI & Dobson, A 2002, 'Disease, habitat fragmentation and conservation', *Proceedings of the Royal Society of London*, vol. 269, pp. 2041-9.
- McCallum, HI & Hocking, BA 2005, 'Reflecting on ethical and legal issues in wildlife disease', *Bioethics*, vol. 19, no. 4, pp. 336-47.
- McClymont, JR 1906, 'Birds observed and bird-skins examined in 1905', *Emu*, vol. 5, no. 3, pp. 161-2.
- McLaren, WD 1966, 'The Flinders Island wombat', *Wildlife in Australia*, vol. 3, no. 4, pp. 110-3.
- McNabb, E, McNabb, J & Barker, K 2003, 'Post-nesting home range, habitat use and diet of a female masked owl *Tyto novaehollandiae* in Western Victoria', *Corella*, vol. 27, no. 4, pp. 109-17.
- McQuillan, P 1994, *Butterflies of Tasmania*, Tasmanian Field Naturalists Club Inc, Hobart, Tasmania.
- McQuillan, P & Virtue, J 1994, *Butterflies of Tasmania*, Tasmanian Field Naturalists Club Inc, Hobart.
- McQuillan, PB 1996, 'The Tasmanian geometrid moths associated with the genus *Amelora auctorum* (Lepidoptera: Geometridae: Ennominae)', *Invertebrate Taxonomy*, vol. 10, no. 3, pp. 433-506.
- 2009, *Project Report: Survey for Rare Tasmanian Saltmarsh Moths: the Chevron Looper, Amelora acontistica Turner, and the Saltmarsh Looper, Dasybela achroa (Lower)*.
- McQuillan, PB & Edwards, ED 1996, *Geometridae*, vol. 4, Checklist of the Lepidoptera of Australia. Monographs on Australian Lepidoptera, CSIRO Division of Entomology.
- McQuillan, PB & Ek, CJ 1997, 'A biogeographical analysis of the Tasmanian endemic Ptunarra Brown Butterfly, *Oreixenica ptunarra* Couchman, 1953 (Lepidoptera: Nymphalidae: Satyrinae)', *Australian Journal of Zoology*, vol. 44, pp. 21-37.
- Meggs, JM 1996, *Distribution and Conservation Status of Two Threatened Species of Lucanid Beetle in Tasmania*, Forest Practices Board and Forestry Tasmania, Hobart.

- 1997, *Simsons Stag beetle, Hoplogonus simsoni, in North-east Tasmania: Distribution, Habitat Characteristics and Conservation Requirements*, Forest Practices Board and Forestry Tasmania, Hobart.
  - 1998, *Coupe Surveys for Hoplogonus simsoni (Simsons Stag Beetle), 1997-98*, Forest Practices Board and the Tasmanian Parks and Wildlife Service, Hobart.
  - 1998, *A Two-week Field Survey for Lissotes menalcas (Mt Mangana Stag Beetle) (Coleoptera; Lucanidae)*, Forestry Tasmania and the Tasmanian Parks and Wildlife Service, Hobart.
  - 1999, *Distribution, Habitat Characteristics and Conservation Requirements of the Broad-toothed Stag Beetle Lissotes latidens (Coleoptera: Lucanidae)*, Forest Practices Board and Forestry Tasmania, Hobart.
  - 1999, *Surveys for Lissotes latidens (Broad-toothed Stag Beetle) in Priority Coupes on the Forestier and Tasman Peninsulas*, Report to Forestry Tasmania and the Forest Practices Board, Hobart.
  - 2002, *Survey to Determine the Presence/Absence of Lissotes menalcas (Mt Mangana Stag Beetle) at the Proposed Integrated Timber Processing Site (Southwood), Lonnavele*, Forestry Tasmania, Hobart.
  - 2003, 'Threatened Stag Beetles in Tasmania's Production Forests: Single-species Studies Contributing to Biodiversity Conservation', Master thesis, University of Tasmania.
- Meggs, JM & Munks, SA 2003, 'Distribution, habitat characteristics and conservation requirements of a forest-dependent Invertebrate *Lissotes latidens* (Coleoptera: Lucanidae)', *Journal of Insect Conservation*, vol. 7, pp. 137-52.
- Meggs, JM, Munks, SA & Corkrey, R 2003, 'The distribution and habitat characteristics of a threatened lucanid beetle, *Hoplogonus simsoni*, in north-east Tasmania', *Pacific Conservation Biology*, vol. 9, pp. 172-86.
- Meggs, JM, Munks, SA, Corkrey, R & Richards, K 2004, 'Development and evaluation of predictive habitat models to assist the conservation planning of a threatened lucanid beetle, *Hoplogonus simsoni*, in north-east Tasmania', *Biological Conservation*, vol. 118, pp. 501-11.
- Meggs, JM & Taylor, RJ 1999, 'Distribution and conservation status of the Mt Mangana stag beetle, *Lissotes menalcas* (Coleoptera: Lucanidae)', *Papers and Proceedings of the Royal Society of Tasmania*, vol. 133, no. 1, pp. 23-8.
- Mesibov, R 1987, *Distribution and Conservation Status of Two Undescribed Onychophoran Species in North-East Tasmania*, Plomley Foundation.
- 1988, *Tasmanian Onychophora. Report of new distribution mapping, with a catalogue of all known locality records for the Blind Velvet Worm, Giant Velvet Worm, 'Euperipatoides leuckarti' and 'Ooperipatellus insignis'. Specimen photographs. Conservation overview and recommendations for the BVW and GVW*, Department of Lands, Parks and Wildlife.
  - 1990, 'Velvet worms: a special case of fauna conservation', *Tasforests*, vol. 2, pp. 53-6.
  - 1991, *Report on Cable-Logging Operations in Progress in the Haley's Creek Wildlife Priority Area*, Forestry Commission, Tasmania.
  - 1994, 'Faunal breaks in Tasmania and their significance for invertebrate conservation', *Memoirs of the Queensland Museum*, vol. 36, pp. 133-6.

- 1995, *Contractor's Report: Giant Velvet Worms and Logging in Eastern Tiers District*, Forestry Tasmania, Tasmania.
- 1996, *Contractor's Report: Inspection of Urana 07A and Surrounds After the October, 1995 Wildfire*, Forestry Tasmania, Tasmania.
- 1997, *The Blind Velvet Worm (Tasmanipatus anophthalmus Ruhberg et al. 1991): a Background Report for Conservation Planners*, Threatened Species Unit, Tasmania.
- 2001, *Giant Velvet Worms (Tasmanipatus barretti) and Plantations. Unpublished report to the project Linking Landscape Ecology and Management to Population Viability Analysis*, University of Melbourne.
- Mesibov, R, Bonham, KJ, Doran, N, Meggs, J, Munks, S, Otley, H & Richards, K 2002, 'Single-species sampling in Tasmania: an inefficient approach to invertebrate conservation?' *Invertebrate Systematics*, vol. 16, pp. 655-63.
- Mesibov, R & Ruhberg, H 1991, 'Ecology and conservation of *Tasmanipatus barretti* and *T. anophthalmus*, parapatric onychophorans (Onychophora: Peripatopsidae) from northeastern Tasmania', *Papers and Proceedings of the Royal Society of Tasmania*, vol. 125, pp. 11-6.
- Michaels, K (undated), *The Occurrence of the Endangered Stag Beetle Lissotes latidens (Westwood) (Coleoptera: Lucanidae) in Selected Areas in the Wielangta Forest Block, Tasmania. Unpublished report.*
- Michaels, K & Bornemissza, G 1999, 'Effects of clearfell harvesting on lucanid beetles (Coleoptera: Lucanidae) in wet and dry sclerophyll forests in Tasmania', *Journal of Insect Conservation*, vol. 3, pp. 85-95.
- Milledge, DR 1980, *The Distribution, Status, Ecology and Evolutionary Position of the Forty-spotted Pardalote*, RAOU, Hobart, 1980.
- Mollison, B 1996, 'Notes on the masked owl', *Australasian Raptor Association News*, vol. 17, no. 2, p. 28.
- Mooney, N 1993, 'Diet of the masked owl in Tasmania: past and present', in P Olsen (ed.), *Australasian Raptor Studies* Australasian Raptor Association, Melbourne, pp. 160-74.
- 1997, 'Habitat and seasonality of nesting masked owls in Tasmania', in P Olsen (ed.), *Australasian Raptor Studies II*, Australasian Raptor Association, Melbourne, pp. 34-9.
- Mooney, N & Holdsworth, M 1988, 'Observations on the use of habitat by the grey goshawk in Tasmania', *Tasmanian Bird Report*, vol. 17, pp. 1-12.
- 1992, 'Diet of the masked owl in Tasmania', *Tasmanian Bird Report*, vol. 21, pp. 35-55.
- Mooney, NJ 1981, 'Reasons for size differences in forest hawks', *Tasmanian Bird Report*, vol. 11, pp. 4-11.
- 1988, 'Guidelines for alleviating the effects of forestry operations on raptors 2. Wedge-tailed eagle, *Aquila audax*', *Australasian Raptor Association News*, vol. 9, pp. 7-10.
- 1996, 'Conservation of wedge-tailed eagles in Tasmania: the blunderbuss approach', in G Czechura & S Debus (eds), *Australian Raptor Studies II: Birds Australia Monograph 3*, Birds Australia, Melbourne.

- 2000, 'Appearances vs performance; managing endangered Tasmanian wedge-tailed eagles in forestry operations', in RD Chancellor & B-U Meyburg (eds), *Raptors at Risk*, Hancock House; WWGBP, Washington; Berlin.
- Mooney, NJ & Holdsworth, M 1991, 'The effects of disturbance on nesting wedge-tailed eagles (*Aquila audax fleayi*) in Tasmania', *Tasforests*, vol. 3, pp. 15-31.
- Mooney, NJ & Taylor, RJ 1996, 'Value of nest site protection in ameliorating the effects of forestry operations on wedge-tailed eagles in Tasmania', in DM Bird, DE Varland & JJ Negro (eds), *Raptors in Human Landscapes*, Academic Press Inc, San Diego, California, pp. 275-82.
- Moore, BP 1965, 'Studies on Australian Carabidae (Coleoptera) 4. The Pterostichinae', *Transactions of the Royal Entomological Society of London*, vol. 117, no. 1, pp. 1-32.
- 1972, 'A revision of the Australian Trechinae (Coleoptera: Carabidae)', *Australian Journal of Zoology, Supplementary Series*, vol. 18, pp. 1-61.
- 1978, 'A new species of the Tasmanian cave carabid genus *Idacarabus* (Coleoptera)', *Australian Entomologist Magazine*, vol. 5, no. 2, pp. 23-5.
- 1983, 'Beetles of South-eastern Australia. Fascicle 5', *Australian Entomological Press*, vol. 5, pp. 69-84.
- 1994, 'New species and new records of Tasmanian cave carabidae (Coleoptera)', *Australian Entomologist* vol. 21, no. 3, pp. 75-80.
- Moore, BP, Weir, TA & Pyke, JE 1987, *Zoological Catalogue of Australia. Coleoptera: Archostemata, Myxophaga and Adephaga*, vol. 4, Australian Government Publishing Service, Canberra.
- Morcombe, M 2003, *Field Guide to Australian Birds*, Steve Parish Publishing, Archerfield, Queensland.
- Moyle, RG 2006, 'A molecular phylogeny of kingfishers (Alcedinidae) with insights into early biogeographic history', *The Auk*, vol. 123, no. 2, pp. 487-99.
- Munks, S 1998, *Monitoring the Effects of Regrowth Thinning and Clearfell and Regeneration of Wet Eucalypt Forest on Populations of Hoplogonus simsoni (Simsons Stag Beetle): Project Proposal*, Forest Practices Board, Hobart, 1998.
- 1999, 'Catching butterflies – all in a days work as an FPO', *Forest Practices News*, vol. 1, no. 4, p. 12.
- Munks, S & McArthur, C 2001, 'Plantation design and fauna conservation in Tasmania: Part 1, Workshop abstracts', *TasForests*, vol. 12, pp. 161-72.
- Munks, S & Mooney, N 2003, *Goshawk Habitat Categories*, 12, Forest Practices Authority, Hobart.
- Munks, S, Richards, K, Meggs, J & Brereton, R 2004, *The importance of adaptive management in 'off-reserve' conservation of forest fauna: implementing, monitoring and upgrading swift parrot Lathamus discolor conservation measures in Tasmania*, Royal Zoological Society of New South Wales.
- Munks, S, Richards, K, Meggs, J, Wapstra, M & Corkrey, R 2004, 'Distribution, habitat and conservation of two threatened stag beetles, *Hoplogonus bornemisszai* and *H. vanderschoori* (Coleoptera: Lucanidae) in north-east Tasmania', *Australian Zoologist*, vol. 32, no. 4, pp. 586-96.



- Munks, S, Wapstra, M, Corkrey, R, Otley, H, Miller, G & Walker, B 2007, 'The occurrence of potential tree hollows in the dry eucalypt forests of south-eastern Tasmania, Australia', *Australian Zoologist*, vol. 34, no. 1, pp. 22-36.
- Neboiss, A 1977, 'A taxonomic and zoogeographic study of Tasmanian caddis-flies (Insecta: Trichoptera)', *Memoirs of the National Museum of Victoria*, vol. 38, pp. 1-208.
- 1981, *Tasmanian Caddis-flies*, vol. 4, Fauna of Tasmania Handbook, University of Tasmania, Hobart Tasmania.
- 2002, 'New genera and species, and new records of Tasmanian Trichoptera (Insecta). ' *Papers and Proceedings of the Royal Society of Tasmania*, vol. 136, pp. 43-82.
- Neboiss, A, Jackson, J & Walker, K 1989, 'Caddisflies (Insecta: Trichoptera) of the World Heritage Area in Tasmania – species composition and distribution', *Occasional Papers from the Museum of Victoria*, vol. 4, pp. 1-41.
- Neyland, M 1994, *The Ecology and Conservation Status of Three Rare Hesperiid Butterflies in Tasmania*, Parks & Wildlife Service, Hobart.
- 1996, *Tree Decline in Tasmania*, Land and Water Management Council, Hobart.
- 2001, 'Ecology and conservation of the Marrawah skipper (*Oreiplanus munionga*) in Tasmania', *The Tasmanian Naturalist*, vol. 123, pp. 48-56.
- Neyland, M & Bell, P 2000, 'Ecology and conservation of the chaostola skipper butterfly (*Antipodia chaostola*) in Tasmania', *The Tasmanian Naturalist*, vol. 122, pp. 47-54.
- Neyland, MG 1991, *The Ptunarra Brown Butterfly Recovery Plan: Management Phase*, Department of Parks, Wildlife and Heritage, Tasmania.
- 1992, *The ptunarra brown butterfly Oreixenica ptunarra. Conservation Research Statement*, Department of Parks, Wildlife and Heritage, Tasmania.
- 1993, 'The ecology and conservation management of the Ptunarra Brown butterfly *Oreixenica ptunarra* (Lepidoptera; Nymphalidae; Satyrinae) in Tasmania, Australia', *Papers and Proceedings of the Royal Society of Tasmania*, vol. 127, pp. 43-8.
- 1994, *Ptunarra Brown Butterfly Recovery Plan Management Phase*, Australian Nature Conservation Agency.
- 1995, *The Ptunarra Brown Butterfly Recovery Plan Management Phase*, Australian Nature Conservation Agency.
- 1996, *The Ptunarra Brown Butterfly Recovery Plan Management Phase*, Australian Nature Conservation Agency.
- Norton, TW 1983, 'Habitat Utilization by Small Mammals in North-eastern Tasmania', Honours thesis, University of Tasmania
- 1987, 'The ecology of small mammals in north-eastern Tasmania II. *Pseudomys novaehollandiae* and the introduced *Mus musculus*', *Australian Wildlife Research*, vol. 14, pp. 435-31.
- NRM South 2010, *Keeping It Clean: A Tasmanian Field Hygiene Manual to Prevent the Spread of Freshwater Pests and Pathogens*, NRM South, Hobart.
- Olsen, P 1998, *Australia's Raptors: Diurnal Birds of Prey and Owls. Conservation Statement No.2*, 2, Birds Australia, Hawthorn East, Victoria, 1998.

- Olsen, PD, Debus, SJS, Czechura, GV & Mooney, NJ 1990, 'Comparative feeding ecology of the grey goshawk, *Accipiter novaehollandiae* and brown goshawk *Accipiter fasciatus*', *Australian Bird Watcher*, vol. 13, pp. 178-92.
- Orange-bellied Parrot Recovery Team 2006, *Background and Implementation Information for the Orange-bellied Parrot Recovery Plan*, Department of Primary Industries and Water, Hobart, 2006.
- 2006, *National Recovery Plan for the Orange-bellied parrot (Neophema chrysogaster)*, Department of Primary Industries and Water, Hobart.
- Orr, S & Gerrard, AM 1998, 'Management Decision Classification: a system for zoning land managed by Forestry Tasmania', *Tasforests*, vol. 10, pp. 1-14.
- Otley, H, Bonham, KJ & Taylor, R 1999, 'Distribution of the burgundy snail *Helicarion rubicundus* on the Forestier and Tasman Peninsulas', *The Tasmanian Naturalist*, vol. 121, pp. 42-7.
- Otley, HM 1999, 'Survey report for burgundy snail (*Helicarion rubicundus* (Pulmonata: Helicarionidae)), a rare land snail', *Papers and Proceedings of the Royal Society of Tasmania*, vol. 125, pp. 27-8.
- Parry, FJS 1875, 'Description of a new genus and species of lucanoid Coleoptera from the interior of Tasmania', *Cistula Entomologica*, vol. 2, pp. 131-2.
- Paterson, RM 1993, 'Bird observations 1992 – systematic list', *Tasmanian Bird Report*, vol. 22, pp. 23-47.
- Peake, P, Conole, LE, Debus, SJS, McIntyre, A & Bramwell, M 1993, 'The masked owl *Tyto novaehollandiae* in Victoria', *Australian Bird Watcher*, vol. 15, pp. 124-36.
- PERP 2000, *Operations Plan for McCrackens Gully Private CAR Reserve*, Department of Primary Industries Water and Environment, Private Forest Reserves Program, Hobart.
- Petterd, WF 1879, 'A Monograph of the Land Shells of Tasmania', *Examiner*.
- Pollard, E 1977, 'A method for assessing changes in the abundance of butterflies', *Biological Conservation*, vol. 12, pp. 115-34.
- Ponder, WF 1994, 'Australian freshwater mollusca: conservation priorities and indicator species', *Memoirs of the Queensland Museum* vol. 36, no. 1, pp. 191-6.
- Ponder, WF, Clark, GA, Miller, AC & Toluzzi, A 1993, 'On a major radiation of freshwater snails in Tasmania and eastern Victoria: a preliminary overview of the *Beddomeia* group (Mollusca: Gastropoda: Hydrobiidae)', *Invertebrate Taxonomy*, vol. 7, no. 3, pp. 501-750.
- Ponder, WF & Colgan, DJ 2002, 'What makes a narrow-range taxon? Insights from Australian freshwater snails', *Invertebrate Systematics*, vol. 16, no. 4, pp. 571-82.
- Ponder, WF & Walker, KF 2003, 'From mound springs to mighty rivers: The conservation status of freshwater molluscs in Australia', *Aquatic Ecosystem Health & Management*, vol. 6, no. 1, pp. 19-28.
- Prince, GB 1987, *The Conservation Status of the Hairstreak Butterfly Pseudalmenus chlorinda Blanchard in Tasmania*, Department of Lands, Parks and Wildlife, Tasmania.
- 1988, *The Habitat Requirements and Conservation Status of Tasmanian Endemic Butterflies*, Tasmanian Department of Lands, Parks and Wildlife, Tasmania.
- PWS 1997, *Coal Mines Historic Site Management Plan*, Department of Environment and Land Management, Parks & Wildlife Service, Hobart.

- 1997, *Draft Dennes Hill Nature Reserve Management Plan*, Department of Environment and Land Management, Parks & Wildlife Service, Hobart.
- 1997, *Eastern barred bandicoot*, Parks & Wildlife Service Tasmania, Hobart.
- 1998, *Maria Island National Park and Ile Des Phoques Nature Reserve Management Plan*, Department of Environment and Land Management, Parks & Wildlife Service, Hobart.
- 2002, *Arthur-Pieman Conservation Area: Management Plan*, Parks and Wildlife Service, Hobart.
- 2002, *Mount Field National Park, Marriotts Falls State Reserve & Junee Cave State Reserve Management Plan 2002*, Parks and Wildlife Service, Department of Tourism, Parks, Heritage and the Arts Hobart.
- 2003, *Arthur-Pieman Conservation Area: Fire Management Plan*, Parks and Wildlife Service Hobart.
- 2004, *Mole Creek Karst National Park and Conservation Area Management Plan 2004*, Parks and Wildlife Service, Department of Tourism, Parks, Heritage and the Arts, Hobart.
- 2006, *Peter Murrell State Reserve and Conservation Area Fire Management Plan 2006*, Parks and Wildlife Service (Department of Tourism, Arts and the Environment), Hobart.
- Pye, T 1991, 'The New Holland Mouse (*Pseudomys novaehollandiae*) (Rodentia: Muridae) in Tasmania: a field study', *Wildlife Research*, vol. 18, pp. 521-31.
- Raven, RJ 1978, 'Systematics of the spider subfamily Hexathelinae (Dipluridae : Mygalomorphae: Arachnida)', *Australian Journal of Zoology Supplementary Series*, vol. 26, no. 65, pp. 1-75.
- Raven, RJ & Churchill, TB 1989, 'A new species of *Migas* (Araneae, Migidae), with notes on Heteromigas in Tasmania', *Bulletin of the British Arachnological Society*, vol. 8, pp. 5-8.
- Redburn, K 1999, 'Life History and Habitat of the Tussock Skink, *Pseudemoia* in Tasmania', Honours thesis, University of Tasmania.
- Regan, T, Bonham, K, Regan, H, Taylor, R, Tuson, D & Burgman, M 1999, *Forest Management and Conservation of *Tasmaphena lamproides* in North-west Tasmania: Use of Population Viability Analysis to Evaluate Management Options*, Forestry Tasmania, Hobart.
- Regan, TJ, Regan, HM, Bonham, KJ, Taylor, RJ & Burgman, MA 2001, 'Modelling the impact of timber harvesting on a rare carnivorous land snail (*Tasmaphena lamproides*) in northwest Tasmania, Australia', *Ecological Modelling*, vol. 139, pp. 253-64.
- Regan, TJ, Taylor, RJ & Burgman, MA 2000, *Investigation of Harvest Scheduling Options for Forest Management: Implications for the Carnivorous Land Snail, *Tasmaphena lamproides* in Northwest Tasmania*, Forestry Tasmania, Tasmania.
- Reid, A 1996, 'Review of the Peripatopsidae (Onychophora) in Australia, with comments on peripatopsid relationships', *Invertebrate Taxonomy*, vol. 10, no. 4, pp. 663-936.
- Richards, AM 1974, 'The Raphidophoridae (Orthoptera) of Australia. Part 11. New species from the Bass Strait Islands and Tasmania', *Pacific Insects*, vol. 16, no. 2-3, pp. 245-60.

- Richards, K 1997, *The Distribution of Engaeus spinicaudatus along Ruby Creek and China Creek, Scottsdale*, Threatened Species Unit, Parks and Wildlife Service and the Forest Practices Unit, Hobart.
- 1999, *Occurrence of Hologonius bornemisszai (Bornemisszas stag beetle) and H. vanderschoori (Vanderschoors stag beetle) in Priority Coupes, North-east Tasmania*, Forestry Tasmania and the Forest Practices Board, Hobart.
- 2010, 'An Ecological, Morphological and Molecular Investigation of *Beddomeia* Species (Gastropoda: Hydrobiidae) in Tasmania', PhD thesis, University of Tasmania.
- Richards, K, Munks, SA, Spencer, C & Wapstra, M 2006, *Monitoring the Effectiveness of Conservation Measures for the Broad-toothed Stag Beetle, Lissotes latidens, in South-east Tasmania*, Forest Practices Authority, Hobart.
- Richards, K & Spencer, C 2005, *A survey for the threatened Weldborough Forest weevil (Enchymus sp. nov.: Curculinidae), on private property, North Eastern Tasmania*, Forest Enterprises, Hobart.
- Richardson, A, Hopgood-Douglas, S, Munks, S, Doran, N & Peters, D 2008, 'Predicting the distribution of a threatened freshwater burrowing crayfish: *Engaeus granulatus* in central northern Tasmania', *Freshwater Crayfish*, vol. 16, pp. 43-6.
- Richardson, AMM & Swain, R 2002, 'The sting in the tail – spination of the tail fan in freshwater crayfish', *Freshwater Crayfish*, vol. 13, pp. 515-24.
- Rose, RW, Bell, L & Shaw, G 2006, 'Hormonal control of birth behaviour in the Tasmanian devil *Sarcophilus harrisii*', *Hormones and Behavior*, vol. 50, no. 3, pp. 417-23.
- Rose, RW & Ikonomopoulou, MP 2005, 'Shivering and non-shivering thermogenesis in a marsupial, the eastern barred bandicoot (*Perameles gunnii*)', *Journal of Thermal Biology*, vol. 30, pp. 85-92.
- Rounsevell, D, Brereton, R & Hutchinson, MN 1996, *The reptiles of northeast Tasmania, with new records and a key to species of grass skinks, genus Pseudemoia*, vol. 103, Biogeography of Northeast Tasmania, Records of the Queen Victoria Museum, Tasmania.
- Rounsevell, DE, Taylor, RJ & Hocking, GJ 1991, 'Distribution records of native terrestrial mammals in Tasmania', *Wildlife Research*, vol. 18, pp. 699-717.
- Rounsevell, DE & Woinarski, JCZ 1983, 'Status and conservation of the forty-spotted pardalote *Pardalotus quadragintus* (Aves: Pardalotidae)', *Australian Wildlife Research*, vol. 10, pp. 343-9.
- Ruhberg, H, Mesibov, R, Briscoe, DA & Tait, NN 1991, '*Tasmanipatus barretti* gen. nov., sp. nov. and *T. anophthalmus* sp. nov.: two new and unusual onychophorans (Onychophora: Peripatopsidae) from northeastern Tasmania', *Papers and Proceedings of the Royal Society of Tasmania*, vol. 125, pp. 7-10.
- Sands, DPA & New, TR 2002, *The Action Plan for Australian Butterflies*, Environment Australia, Canberra.
- Scarborough, T 1987, 'Masked owl eats kookaburra', *The Tasmanian Naturalist*, vol. 88, p. 8.
- Schodde, R & Mason, IJ 1976, 'Infra-specific variation in *Alcedo azurea* Latham (Alcedinidae)', *Emu*, vol. 76, no. 4, pp. 161-6.
- 1980, *Nocturnal Birds of Australia*, Landsdowne, Melbourne.

- 1997, *Aves (Columbidae to Coraciidae)*. *Zoological Catalogue of Australia*, vol. 37, CSIRO Publishing, Melbourne.
- Schreiber, ESG, Quinn, GP & Lake, PS 2003, 'Distribution of an alien aquatic snail in relation to flow variability, human activities and water quality', *Freshwater Biology*, vol. 48, no. 6, pp. 951-61.
- Schulz, M & Kristensen, K 1994, 'Notes on selected bird species on the south-western coast of Tasmania, between Port Davey and Cape Sorell', *Australian Bird Watcher*, vol. 15, pp. 265-72.
- Seebeck, JH, Menkhorst, PW, B.A., W & K.W., L 1996, *New Holland Mouse (Pseudomys novaehollandiae)*. *Flora and Fauna Guarantee – Action Statement No. 74*, 74, Department of Natural Resources and Environment, Victoria.
- Sharland, M 1945, *Tasmanian Birds*, Oldham, Beddome, and Meredith Pty Ltd, Hobart.
- 1958, *Tasmanian Birds*, Angus & Robertson Ltd, Sydney.
- Shields, J 1994, 'Azure Kingfisher', in R Strahan (ed.), *Cuckoos, Nightbirds & Kingfishers of Australia*, Angus & Robertson, Sydney.
- Simpson, K & Day, N 2004, *Field Guide to the Birds of Australia*, 7th edition edn, Penguin Group, Australia.
- Sinclair, EA, Madsen, A, Walsh, T, Nelson, J & Crandall, KA 2011, 'Extensive gene flow across independent river drainages in the giant Tasmanian freshwater crayfish, *Astacopsis gouldi* (Decapoda: Parastacidae): implications for conservation', *Animal Conservation*, vol. 14, pp. 87-97.
- Sivertsen, D 1993, 'Conservation of remnant vegetation in the box and ironbark land of New South Wales', *Victorian Naturalist*, vol. 110, pp. 24-9.
- Skerratt, LF 2005, '*Sarcoptes scabiei*: an important exotic pathogen of wombats', *Microbiology Australia*, vol. June, pp. 79-81.
- Skerratt, LF, Martin, RW & Handasyde, KA 1998, 'Sarcoptic mange in wombats', *Australian Veterinary Journal*, vol. 76, no. 6, pp. 408-10.
- Sloane, TG 1920, 'The Carabidae of Tasmania', *Proceedings of the Linnean Society of N.S.W.*, vol. 45, pp. 113-78.
- Smith, BJ, Davies, PE & Munks, S 2009, 'Changes in benthic macroinvertebrate communities in upper catchment streams across a gradient of catchment forest operation history', *Forest Ecology and Management*, vol. 257, no. 10, pp. 2166-74.
- Smith, BJ & Kershaw, RC 1979, *Field Guide to the Non-marine Molluscs of South Eastern Australia*, Australian National University Press, Canberra.
- 1981, *Tasmanian Land & Freshwater Molluscs*, vol. 5, Fauna of Tasmanian Handbook, University of Tasmania, Hobart.
- 1991, *Tasmanian Land and Freshwater Molluscs*, University of Tasmania, Hobart.
- Smith, BJ, Reid, C & Gordon, T 2004, 'Rediscovery of the Miena jewel beetle (*Castirina insculpta* Carter, 1934), formerly listed as extinct', *The Tasmanian Naturalist*, vol. 126, pp. 31-4.
- Smith, T, MacFadyen, AS & Rose, RW 2001, 'Hormonal control of birth behaviour in the bandicoot (*Perameles gunnii*: Marsupialia) and other marsupials', *Physiology & Behavior*, vol. 72, pp. 527-32.
- Solem, A 1983, *Endodontoid Land Snails from Pacific Islands (Mollusca: Pulmonata: Sigmoethra)*, vol. Part II, Field Museum of Natural History, Chicago.

- Spencer, C 1994, 'Hacking of masked owls', *Australasian Raptor Association News*, vol. 15, no. 2-3, pp. 43-4.
- Spencer, C & Richards, K (undated), *Draft Listing Statement prepared for the Biodiversity Conservation Branch*, Department of Primary Industries and Water, Hobart.
- Spencer, CP & Richards, K 2010, 'The Green-Lined Ground Beetle, *Catodromus lacordairei*, In Tasmania', *The Tasmanian Naturalist*, vol. 132, pp. 15-9.
- Spiers, D 2003, 'Factors Affecting the Distribution of the Endemic Hydrobiid Gastropod, *Beddomeia launcestonensis* in Cataract Gorge, Launceston, Tasmania', Honours thesis, University of Tasmania.
- St Clair, RM 2000, *Preliminary Keys for the Identification of Australian Caddisfly Larvae of the Families Odontoceridae, Kokiriidae and Oeconesidae*, Murray-Darling Freshwater Research Centre, Albury.
- Stokes, T 1996, 'Helicopter effects upon nesting white-bellied sea-eagles and upon smaller birds at an isolated protected location (Eshelby Island, Great Barrier Reef, Australia)', *Corella*, vol. 20, pp. 25-8.
- Sullivan, NL 1999, 'Population Trends, Life History Traits and Feeding Ecology of the Tussock Skink, *Pseudemoia pagenstecheri*', Honours thesis, University of Melbourne.
- Swain, R, Richardson, AMM & Hortle, M 1982., 'Revision of the Tasmanian genus of freshwater crayfish *Astacopsis huxley* (Decapoda: Parastacidae)', *Australian Journal of Marine and Freshwater Research*, vol. 33, pp. 699-709.
- Swift Parrot Recovery Program 2008, '2007 survey summary', *Swifts across the Strait*, vol. 2008, no. 7.
- Swift Parrot Recovery Team (2001) 2005, *Swift Parrot Recovery Plan 2001-2005*, Department of Primary Industries Water and Environment, Hobart.
- Tait, NN & Briscoe, DA 1987, *Report on WHA Directed Research Contract to Dr. N.N. Tait and Dr. D.A. Briscoe: Onychophora in Tasmania*, Tasmanian Parks and Wildlife Service, Tasmania.
- TasGov 2002, *Report on the Implementation of the Tasmanian Regional Forest Agreement 1997 – 2002 Version Final – 8/ 3/02. Prepared by the Tasmanian and Commonwealth Governments for the 2002 Review of the Tasmanian RFA*, Tasmanian and Commonwealth Governments.
- 2008, *Report to the Australian and Tasmanian Governments on the Second Five Yearly Review of Progress with Implementation of the Tasmanian Regional Forest Agreement February 2008. Prepared by the Tasmanian and Commonwealth Governments for the 2007 Review of the Tasmanian RFA*, Tasmanian and Commonwealth Governments Hobart.
- Tassell, S 2004, 'The Fauna of Naturally Occurring Salt Lakes in the Midlands of Tasmania', Honours thesis, University of Tasmania.
- Taylor, R, Mesibov, R, Brereton, R & Bonham, K 1997, 'Terrestrial fauna of Cataract Gorge Reserve, Launceston', *The Tasmanian Naturalist*, vol. 119, pp. 46-58.
- Taylor, RJ 1991, 'Distribution and habitat of *Helicarion rubicundus* (Pulmonata: Helicarionidae), a rare land snail', *Papers and Proceedings of the Royal Society of Tasmania*, vol. 125, pp. 27-8.

- 1991, *Fauna Conservation in Production Forests in Tasmania*, Forestry Commission, Hobart.
- Taylor, RJ, Regan, T, Regan, H, Burgman, M & Bonham, K 2003, 'Impacts of plantation development, harvesting schedules and rotation lengths on the rare snail *Tasmaphena lamproides* in northwest Tasmania: a population viability analysis', *Forest Ecology and Management*, vol. 175, pp. 455-66.
- Thomas, D 1979, *Tasmanian Bird Atlas. Fauna of Tasmania Handbook*, vol. 2, University of Tasmania, Hobart.
- Thompson, MB & Stewart, JR 1994, 'Egg and clutch size of the viviparous Australian skink, *Pseudemoia pagenstecheri*, and the identity of species with type III allantoplacentae', *Journal of Herpetology*, vol. 28, pp. 519-21.
- Threatened Species Scientific Committee 2009, *Advice to the Minister for the Environment, Heritage and the Arts from the Threatened Species Scientific Committee (the Committee) on Amendment to the list of Threatened Species under the Environment Protection and Biodiversity Conservation Act 1999*, Hobart.
- Threatened Species Section 2006, *Draft Fauna Recovery Plan: Threatened Tasmanian Stag Beetles 2006-2011*, Department of Primary Industries and Water Hobart.
- Tilyard, P & Potts, B 2003, *Flowering Phenology of Eucalyptus globulus in Swift Parrot Habitat in Eastern Tasmania. Confidential report to Nature Conservation Branch, DPIWE*, Hobart.
- Todd, M 2007, 'Hollows and owls – a new Forestry CRC PhD study on the Tasmanian masked owl, *Tyto novaehollandiae castanops*', *Forest Practices News*, vol. 8, no. 2, p. 28.
- Traill, BJ 1993, 'Forestry, birds, mammals and management in box and ironbark forests', *Victorian Naturalist*, vol. 110, pp. 11-4.
- TSS 2006, *Fauna Recovery Plan: Forty-Spotted Pardalote 2006-2010*, Department of Primary Industries and Water, Threatened Species Section, Hobart.
- various, *Listing Statements for threatened fauna. As downloaded from DPIPWE's web site, www.dpipwe.tas.gov.au*, Department of Primary Industries, Water and Environment, Threatened Species Section.
- 2006, *Recovery Plan: Tasmanian Galaxiidae 2006-2010*, Department of Primary Industries, Water, Threatened Species Section, Hobart.
- 1999, *Threatened Species Listing Statement: Ptunarra brown butterfly, Oreixenica ptunarra Couchman 1953*, Department of Primary Industries, Water and Environment, Threatened Species Section, Hobart.
- 2005, *Listing Statement North-east Velvet Worms Tasmanipatus spp. Biodiversity Conservation Branch*, Department of Primary Industries, Water and Environment, Threatened Species Section, Hobart.
- 2006, *Draft Fauna Recovery Plan: Threatened Tasmanian Land Snails 2006-2010*, Department of Primary Industries and Water, Threatened Species Section, Hobart.
- 2006, *Draft Fauna Recovery Plan: Threatened Tasmanian Stag Beetles 2006-2011*, Department of Primary Industries and Water, Threatened Species Section, Hobart.

- 2006, *Draft Greater Freycinet Region Threatened Species Recovery Plan 2006–2010*, Department of Primary Industries, Water and Environment, Threatened Species Section, Hobart.
- 2006, *For Great Lake crustaceans: Listing Statement: Great Lake Crustaceans*, Department of Primary Industries and Water, Threatened Species Section, Hobart.
- 2006, *Giant Freshwater Lobster Astacopsis gouldi Recovery Plan 2006-2010*, Department of Primary Industries and Water, Threatened Species Section, Hobart.
- 2006, *Listing Statement Schayer's Grasshopper Schayera baiulus*, Department of Primary Industries and Water, Threatened Species Section, Hobart.
- 2007, *Draft Fauna Recovery Plan: Threatened Tasmanian Frogs 2007-2011*, Department of Primary Industries and Water, Threatened Species Section, Hobart.
- 2007, *Draft Fauna Recovery Plan: Threatened Tasmanian Frogs 2007-2011*, Department of Primary Industries and Water, Threatened Species Section, Hobart.
- 2007, *Draft Fauna Recovery Plan: Threatened Tasmanian Land Snails 2007-2011*, Department of Primary Industries and Water, Threatened Species Section, Hobart.
- 2007, *Threatened Fauna Fact Sheet: Miena Jewel Beetle*, Department of Primary Industries and Water, Threatened Species Section.
- 2008, *Listing Statement New Holland Mouse Pseudomys novaehollandiae*, Department of Primary Industries and Water, Threatened Species Section, Hobart.
- 2009, *Swift Parrot Breeding Season Survey 2008-09*, Department of Primary Industries, Water and Environment, Threatened Species Section, Hobart.
- TSSC undated, *Dasyurus maculatus maculatus (Spot-tailed Quoll, Spotted-tailed Quoll, Tiger Quoll). Advice to the Minister for the Environment and Heritage from the Threatened Species Scientific Committee (TSSC) on Amendments to the list of Threatened Species under the Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act)*, Threatened Species Scientific Committee, viewed 22-07-09.
- 2007, *Engaeus granulatus (Central North Burrowing Crayfish). Advice to the Minister for the Environment and Heritage from the Threatened Species Scientific Committee (TSSC) on Amendments to the list of Threatened Species under the Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act). Retrieved 27 July, 2007, from <http://www.environment.gov.au/biodiversity/threatened/species/engaeus-granulatus.html>*, Threatened Species Scientific Committee, viewed 27-07-07 2007.
- TSU 1998, *Listing Statement: Forty-spotted Pardalote Pardalotus quadragintus*, Parks and Wildlife Service, Threatened Species Unit, Hobart, 1998.
- 2000, *Listing Statement Blind Cave Beetle*, Department of Primary Industry, Water and Environment, Threatened Species Unit, Hobart.



- 2000, *Listing Statement Ida Bay Cave Beetle Idacarabus troglodytes*, Department of Primary Industry, Water and Environment, Threatened Species Unit, Hobart.
- 2000, *Listing Statement Ida Bay Cave Harvestman Hickmanoxyomma cavaticum*, Department of Primary Industry, Water and Environment, Threatened Species Unit, Hobart.
- 2001, *Listing Statement: Green and Golden Frog Litoria raniformis*, Department of Primary Industries, Water and Environment, Threatened Species Unit, Hobart.
- 2005, *Costora iena: Listing Statement: Caddis-flies, Trichoptera*, Department of Primary Industries, Water and Environment, Threatened Species Unit, Hobart.
- 2005, *Listing Statement Mole Creek Cave Beetle Tasmanotrechus cockerilli*, Department of Primary Industry, Water and Environment, Threatened Species Unit, Hobart.
- 2005, *Listing Statement Mole Creek Cave Harvestman Hickmanoxyomma gibbergunyar*, Department of Primary Industries, Water and Environment, Threatened Species Unit, Hobart.
- 2005, *Listing Statement Mole Creek Cave Pseudoscorpion Pseudotyranochthonius typhlus*, Department of Primary Industries, Water and Environment, Threatened Species Unit, Hobart.
- 2005, *Listing Statement: Caddis-flies, Trichoptera*, Department of Primary Industries, Water and Environment, Threatened Species Unit, Hobart.
- 2005, *Listing Statement: Lake Pedder Caddis-fly Taskiropsyche lacustris and McCubbins Caddisfly Taskiria mccubbini*, Department of Primary Industries, Water and Environment, Threatened Species Unit, Hobart.
- 2005, *Threatened Tasmanian Eagles 2005-2009*, Department of Primary Industries, Water and Environment, Threatened Species Unit, Hobart, 2005.
- Tyler, MJ 1997, *The Action Plan for Australian Frogs*, Wildlife Australia, Canberra.
- Wager, R & Jackson, P 1993, *The Action Plan for Australian Freshwater Fishes*, Australian Nature Conservation Agency, Canberra.
- Walsh, T 2003, *The Giant Freshwater Lobster – the Identification of Important Catchments*, Inland Fisheries Service, Tasmania.
- Walsh, T & Nash, W 2002, *Factors Influencing the Health of the Giant Freshwater Lobster in Tasmanian Rivers. Unpublished report*, Inland Fisheries Service, Tasmania.
- Wapstra, M 2007, *Background Document 1 – Legislative and Policy Context for Review of Biodiversity Provisions of Tasmania's Forest Practices System. Report for the Biodiversity Expert Review Panel*, Forest Practices Authority, Hobart.
- 2008, *Background Document 2 – Processes and Planning Tools to Meet Objectives and Requirements of the Biodiversity Provisions of Tasmania's Forest Practices System. Report for the Biodiversity Expert Review Panel*, Forest Practices Authority, Hobart.
- 2008, *Background Document 5 – Processes and Planning Tools to Meet Objectives and Requirements of the Biodiversity Provisions of Tasmania's Forest Practices System: Supplementary Information: Intensively Managed Area. Report for the Biodiversity Expert Review Panel*, Forest Practices Authority, Hobart.
- (undated), *Draft Listing Statement*.
- (undated), *Draft Species Information Profile*, TSS (DPIPWE)/DEWHA.

- Wapstra, M, Bryant, S & Bell, P 2010, 'Conservation overview of the azure kingfisher *Ceyx azureus* subsp. *diemenensis* in Tasmania', *Tasmanian Bird Report*, vol. 34, pp. 8-23.
- Wapstra, M & Munks, S 2007, *Background Document 3 - Processes and Planning Tools to Meet the Objectives and Requirements of the Biodiversity Provisions of Tasmania's Forest Practices System: A Review of Forest Practices Code Provisions Relating to Management of Biodiversity at Different Spatial Scales, Implementation and Relationships between Biodiversity Provisions and Other Forest Management Provisions. Report for the Biodiversity Expert Review Panel*, Forest Practices Authority, Hobart.
- 2008, *Background document 4 – Review of Research and Monitoring Activities related to the Biodiversity Provisions of the Forest Practices System. Report for the Biodiversity Expert Review Panel*, Forest Practices Authority, Hobart.
- Wapstra, M, Richards, K, Munks, SA & Doran, NE 2006, 'Previously undescribed habitat of the Scottsdale burrowing crayfish *Engaeus spinicaudatus* (Decapoda: Parastacidae)', *The Tasmanian Naturalist*, vol. 128, pp. 26-36.
- Watson, A 2004, 'The Impact of logging on Leaf Retention and Invertebrate Distribution in Class 4 Headwater Streams', Honours thesis, University of Tasmania.
- Watts, D 1993, *Tasmanian Mammals*, Revised edition. edn, Peregrine Press, Kettering, Tasmania.
- 2002, *Field Guide to Tasmanian Birds*, New Holland Publishers (Australia), Sydney.
- Webb, M 2001, 'Movement Patterns and Habitat Use of Adult *Astacopsis gouldi* in the Dip River, North-west Tasmania', Honours thesis, University of Tasmania.
- 2008, *Swift Parrot Breeding Season Survey Report 2007/2008*, Department of Primary Industries and Water, Hobart.
- Webb, M, Holdsworth, M & Voogdt, J (in prep), *Nesting Requirements of the Swift Parrot in Eastern Tasmania*, Unpublished report to DPIW.
- Webb, M & Richardson, AMMR 2004, 'A radio telemetry study of movement in the giant Tasmanian freshwater crayfish, *Astacopsis gouldi*', *Freshwater Crayfish*, vol. 14, pp. 197-204.
- Weeding, S 2004, 'Masked owl – a good news story! ' *Forest Practices News*, vol. 5, no. 4, p. 9.
- Wells, F 2002, *Classification of Class 4 Streams in the Forestry Estate of Tasmania*, Forest Practices Board and FIAT/FT Research Fund, Tasmania.
- Westwood, JO 1855, 'Descriptions of some new species of exotic Lucanidae', *Transactions of the Entomological Society of London*, vol. (new series) 3, pp. 197-221.
- Wiersma, J 2001, 'Some Effects of Sea-cage Fish Farms on White-bellied Sea Eagles in Tasmania', Honours thesis, University of Tasmania.
- 2010, *Eagle Nest Monitoring Project – Year 2 2008–09 – Nest Site Use and Timing of Breeding Events. Report to Roaring 40s and the Forest Practices Authority, Scientific Report 9*, Forest Practices Authority, Hobart.
- Wiersma, J & Koch, AJ (in press), 'Using surveys of nest characteristics to assess the breeding activity of the Tasmanian wedge-tailed eagle', *Corella*.
- Wiersma, J, Koch, AJ, Livingston, D, Brown, B, Spencer, C, Mooney, N & Munks, S 2009, *Eagle Nest Monitoring Project – Year 1, 2007–08: Establishing Monitoring*

- Sites and Investigating the Relationship between Nesting Success of the Tasmanian Wedge-tailed Eagle and Environmental Variables. Forest Practices Authority Scientific Report 8*, Forest Practices Authority, Hobart.
- Wiersma, JM, Nermut, W & Shephard, JM 2001, 'A variation on the 'noosed fish' method and its suitability for trapping the white-bellied sea-eagle *Haliaeetus leucogaster*', *Corella*, vol. 25, no. 4, pp. 97-9.
- Williams, WD 1970, 'Redescription of *Haloniscus searlei* Chilton (Isopoda, Oniscoidea, Oniscidae) from an Australian salt lake', *Crustaceana*, vol. 19, pp. 311-9.
- 1983, 'On the ecology of *Haloniscus searlei* (Isopoda, Oniscoidea), an inhabitant of Australian salt lakes', *Hydrobiologia*, vol. 105, no. 1, pp. 137-42.
- Wilson, J & Bennet, A 1999, 'Patchiness of a floral resource: flowering of red ironbark *Eucalyptus tricarpa* in a box and ironbark forest', *Victorian Naturalist*, vol. 116, pp. 48-53.
- Woinarski, JCZ 1983, 'Comparative ecology of pardalotes, including the forty-spotted pardalote, *Pardalotus quadragintus* (Aves: Pardalotidae) in south-eastern Tasmania', *Australian Wildlife Research*, vol. 10, pp. 351-61.
- Woinarski, JCZ & Bulman, C 1985, 'Ecology and breeding biology of the forty-spotted pardalote and other pardalotes on north Bruny Island', *Emu*, vol. 85, pp. 106-19.
- Yaxley, B & Bonham, K 2006, *Mt Mangana Stag Beetle Range Boundary Survey*, Forestry Tasmania and the Tasmanian Parks and Wildlife Service, Hobart.
- Yee, M, Grove, S & Borrer Closs, L 2007, 'Giant velvet worms (*Tasmanipatus barretti*) and postharvest regeneration burns in Tasmania', *Ecological Management & Restoration*, vol. 8, no. 1, pp. 66-9.
- Yen, AL & Butcher, RL 1997, *An Overview of the Conservation of Non-marine Invertebrates in Australia*, Environment Australia, Canberra.
- Young, D 2006, 'Home Range, Habitat Use and Diet of Two Tasmanian Masked Owls *Tyto novaehollandiae castanops*', Honours thesis, University of Tasmania.
- Young, GE 1980, 'Geographic variation in the common wombat, *Vombatus ursinus* (Shaw, 1800)', *The Victorian Naturalist*, vol. 97, pp. 200-4.